



Circuit Board and Component Identification



Brady label materials are specially engineered to resist the harsh environments associated with the processing of printed circuit boards.

LASER, INK JET & DOT MATRIX LABELS



INK JET PRINTABLE CIRCUIT BOARD PROCESS CHART

	 Through Hole Technology Top Bottom	 Surface Mount Technology (SMT) Top or Bottom	After Process
B-107, B-115, B-137	▲ Yes* ✗ No	✗ No	● Yes

* In extreme high temperatures, testing of these materials is recommended.

► POLYESTER

Permanent White Polyester (B-107)

Part Number	Size Inch (mm)	Specifications on Page	 Through Hole Technology Top Bottom	 SMT Top / Bottom	After Process
JET-1-107-10	.375 x .375 (9.53 x 9.53)	126	▲ ✗	✗	●
JET-4-107-10	.20 x .65 (5.08 x 16.51)	126	▲ ✗	✗	●
JET-5-107-10	.25 x .65 (6.35 x 16.51)	126	▲ ✗	✗	●
JET-6-107-10	.25 x .75 (6.35 x 19.05)	126	▲ ✗	✗	●
JET-7-107-10	.25 x .80 (6.35 x 20.32)	126	▲ ✗	✗	●
JET-8-107-10	.50 x .80 (12.70 x 20.32)	126	▲ ✗	✗	●
JET-10-107-10	.25 x .90 (6.35 x 22.86)	126	▲ ✗	✗	●
JET-11-107-10	.25 x 1.00 (6.35 x 25.40)	126	▲ ✗	✗	●
JET-12-107-10	.375 x 1.00 (9.53 x 25.40)	126	▲ ✗	✗	●
JET-13-107-10	.50 x 1.00 (12.70 x 25.40)	126	▲ ✗	✗	●
JET-16-107-10	.25 x 1.50 (6.35 x 38.10)	126	▲ ✗	✗	●
JET-20-107-10	.25 x 1.875 (6.35 x 47.63)	126	▲ ✗	✗	●
JET-21-107-5	.375 x 1.875 (9.53 x 47.63)	126	▲ ✗	✗	●
JET-23-107-5	.375 x 2.00 (9.53 x 50.80)	126	▲ ✗	✗	●
JET-25-107-3	.375 x 3.00 (9.53 x 76.20)	126	▲ ✗	✗	●

- Yes, this material will work with this application.
- ✗ No, this material does not work with this application.
- ▲ In extreme high temperatures, testing of these materials is recommended.

INK JET CIRCUIT BOARD AND COMPONENT ID LABELS


Circuit Board and Component Identification

CONTINUED

LASER, INK JET & DOT MATRIX LABELS

MISCELLANEOUS MATERIALS

White Repositionable Vinyl Cloth Tape (B-115)
Self-Extinguishing Tedlar® Film(B-137)



Part Number	Size Inch (mm)	Specifications on Page	Through Hole Top	Technology Bottom	SMT Top / Bottom	After Process
JET-4-115	.20 x .65 (5.08 x 16.51)	126	▲	×	×	●
JET-4-137	.20 x .65 (5.08 x 16.51)	126	▲	×	×	●
JET-10-137	.25 x .90 (6.35 x 22.86)	126	▲	×	×	●
JET-12-115	.375 x 1.00 (9.53 x 25.40)	126	▲	×	×	●
JET-13-115	.50 x 1.00 (12.70 x 25.40)	126	▲	×	×	●
JET-13-137	.50 x 1.00 (12.70 x 25.40)	126	▲	×	×	●
JET-18-137	.75 x 1.50 (19.05 x 38.10)	127	▲	×	×	●
JET-23-115	0.375 x 2.00 (9.53 x 50.80)	126	▲	×	×	●

- Yes, this material will work with this application.
- × No, this material does not work with this application.
- ▲ In extreme high temperatures, testing of these materials is recommended.

INK JET CIRCUIT BOARD AND COMPONENT ID LABELS

Wire and Cable Marking

White Repositionable Vinyl Cloth Tape (B-115) Self-Laminating Vinyl (B-117)

Part Number	Size Inch (mm)	Specifications on Page
JET-2-115	.75 x .50 (19.05 x 12.70)	127
JET-3-115	1.437 x .50 (36.50 x 12.70)	127
JET-9-115	1.437 x .80 (36.50 x 20.32)	127
JET-14-115	.75 x 1.00 (19.05 x 25.40)	127
JET-27-117	.75 x .50 (19.05 x 12.70)	127
JET-28-117	.95 x .75 (24.13 x 19.05)	128
JET-29-117	.50 x 1.38 (12.70 x 35.05)	128
JET-30-117	.95 x 1.38 (24.13 x 35.05)	128
JET-31-117	.95 x 2.25 (24.13 x 57.15)	128
JET-32-117	1.80 x 2.25 (45.72 x 57.15)	128
JET-33-117	.95 x 3.75 (24.13 x 95.25)	128
JET-34-117	1.80 x 3.75 (45.72 x 95.25)	128



Brady's new B-115 vinyl cloth offers the improved resolution of inkjet printing for your wire marking needs.

LASER, INK JET & DOT MATRIX LABELS

General Identification

RATING PLATES AND ASSET IDENTIFICATION

Permanent White Polyester (B-107)

Part Number	Size Inch (mm)	Specifications on Page
JET-15-115	.75 x 1.25 (19.05 x 31.75)	127
JET-18-115	.75 x 1.50 (19.05 x 38.10)	127

PermaShield™ Labels Permanent White Polyester with Clear Polyester (B-107) Overlaminated (B-966)

Part Number	Size Inch (mm)	Specifications on Page
PJET-1-107	.50 x 1.00 (12.70 x 25.40)	126
PJET-2-107	1.00 x 1.75 (25.40 x 44.45)	127



Brady's B-113 inkjet printable paper is suitable for indoor environments where high performance is not required.

INK JET WIRE AND CABLE MARKING LABELS

General Identification

CONTINUED

RATING PLATES AND ASSET IDENTIFICATION CONTINUED

Permanent White Polyester (B-107)

Part Number	Size Inch (mm)	Specifications on Page
JET-2-107	.75 x .50 (19.05 x 12.70)	127
JET-3-107	1.437 x .50 (36.50 x 12.70)	127
JET-8-107	.50 x .80 (12.70 x 20.32)	126
JET-13-107	.50 x 1.00 (12.70 x 25.40)	126
JET-14-107	.75 x 1.00 (19.05 x 25.40)	127
JET-15-107	.75 x 1.25 (19.05 x 31.75)	127
JET-17-107	.50 x 1.50 (12.70 x 38.10)	126
JET-18-107	.75 x 1.50 (19.05 x 38.10)	127
JET-19-107	1.00 x 1.75 (25.40 x 44.45)	127
JET-22-107	.833 x 1.875 (21.16 x 47.63)	127

White Paper (B-113)

Part Number	Size Inch (mm)	Specifications on Page
JET-8-113	.50 x .80 (12.70 x 20.32)	126
JET-11-113	.25 x 1.00 (6.35 x 25.40)	126
JET-13-113	.50 x 1.00 (12.70 x 25.40)	126
JET-14-113	.75 x 1.00 (19.05 x 25.40)	127
JET-17-113	.50 x 1.50 (12.70 x 38.10)	126
JET-18-113	.75 x 1.50 (19.05 x 38.10)	127
JET-19-113	1.00 x 1.75 (25.40 x 44.45)	127
JET-22-113	.833 x 1.875 (21.16 x 47.63)	127
JET-24-113	2.75 x 2.75 (69.85 x 69.85)	127
JET-26-113-SH	8.50 x 11.00 (215.90 x 279.40)	127

White Polyolefin (B-114)

Part Number	Size Inch (mm)	Specifications on Page
JET-11-114	.25 x 1.00 (6.35 x 25.40)	126
JET-12-114	.375 x 1.00 (9.53 x 25.40)	126
JET-13-114	.50 x 1.00 (12.70 x 25.40)	126
JET-15-114	.75 x 1.25 (19.05 x 31.75)	127
JET-16-114	.25 x 1.50 (6.35 x 38.10)	126
JET-18-114	.75 x 1.50 (19.05 x 38.10)	127
JET-22-114	.833 x 1.875 (21.16 x 47.63)	127



Brady's new B-107 polyester combines excellent print performance and durability for marking and tracking equipment.



Brady's polyester materials B-107 and B-136 are perfect for on-demand printing of rating plates. They eliminate the hassle of purchasing pre-printed labels, and permit better control of labeling design and cost.

General Identification

CONTINUED

▶ RATING PLATES AND ASSET IDENTIFICATION CONTINUED

Metallized Polyester (B-136)

Part Number	Size Inch (mm)	Specifications on Page
JET-4-136	.20 x .65 (5.08 x 16.51)	126
JET-6-136	.25 x .75 (6.35 x 19.05)	126
JET-13-136	.50 x 1.00 (12.70 x 25.40)	126
JET-18-136	.75 x 1.50 (19.05 x 38.10)	127
JET-19-136	1.00 x 1.75 (25.40 x 44.45)	127
JET-26-136	8.50 x 11.00 (215.90 x 279.40)	127
JET-6-136	8.50 x 11.00 (215.90 x 279.40)	127

▶ PERMASHIELD™ LABELS

Permanent White Polyester (B-107) Clear Polyester Overlaminates (B-966)

Part Number	Size Inch (mm)	Specifications on Page
PJET-1-107	.50 x 1.00 (12.70 x 25.40)	126
PJET-2-107	1.00 x 1.75 (25.40 x 44.45)	127

▶ FULL SHEET LABELS FOR PROTOTYPING

Permanent White Polyester (B-107) White Paper (B-113)

Part Number	Size Inch (mm)	Specifications on Page
JET-26-107-SH	8.50 x 11.00 (215.90 x 279.40)	127
JET-26-113-SH	8.50 x 11.00 (215.90 x 279.40)	127



Where abrasion resistance is required, Brady's B-114 polyolefin answers the call.



Brady's durable PermaShield™ labels are protected by a clear overlaminates film, so they remain clear and easy-to-read, even in harsh environments.

LASER, INK JET & DOT MATRIX LABELS

INK JET GENERAL ID LABELS