


L Labels Index by Size



THERMAL TRANSFER PRINTERS & LABELS

THT-94-400-2

Thermal Transfer technology
Die # 94, .24" x 2,000"
Package Quantity, 2,000

Material R-400, White Vinyl Cloth

PART NUMBER EXPLANATION:

Most Brady part numbers for printable labels follow the same four-part format:

The first code indicates the technology, the second part is a number indicating the die size used (where applicable), the third part indicates the Brady material used (where applicable), and the final code indicates package quantity.

Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon Series*
.24" Label Width										
THT-94-400-2	2,000	Vinyl Cloth	White	1	.24 (6.10)	2,000 (50,800)	—	—	1.00 (25.40)	R4300
.25" Label Width										
THT-11-423-10	10,000	Polyester	White	12	.25 (6.35)	.25 (6.35)	.25 (6.35)	.375 (9.53)	3.20 (81.28)	R6000
THT-11-426-10	10,000	Polyimide	Amber	12	.25 (6.35)	.25 (6.35)	.25 (6.35)	.375 (9.53)	3.20 (81.28)	R4300
THT-11-436-10	10,000	Polyimide	Amber	12	.25 (6.35)	.25 (6.35)	.25 (6.35)	.375 (9.53)	3.20 (81.28)	R4300
THT-11-457-10	10,000	Polyimide	White	12	.25 (6.35)	.25 (6.35)	.25 (6.35)	.375 (9.53)	3.20 (81.28)	R6000
THT-70-457-20	20,000	Polyimide	White	7	.25 (6.35)	.25 (6.35)	.32 (8.13)	.35 (8.89)	2.37 (60.20)	R6000
THT-11-473-10	10,000	Polyester	White	12	.25 (6.35)	.25 (6.35)	.25 (6.35)	.375 (9.53)	3.20 (81.28)	R6000
THT-70-473-20	20,000	Polyester	White	7	.25 (6.35)	.25 (6.35)	.32 (8.13)	.35 (8.89)	2.37 (60.20)	R6000
THT-70-477-20	20,000	Polyimide	White	7	.25 (6.35)	.25 (6.35)	.32 (8.13)	.35 (8.89)	2.37 (60.20)	R6000
THT-70-478-20	20,000	Polyimide	White	7	.25 (6.35)	.25 (6.35)	.32 (8.13)	.35 (8.89)	2.37 (60.20)	R6000
THT-70-479-20	10,000	Polyimide	White	7	.25 (6.35)	.25 (6.35)	.32 (8.13)	.35 (8.89)	2.37 (60.20)	R6000
THT-70-487-20	20,000	Polyimide	White	7	.25 (6.35)	.25 (6.35)	.32 (8.13)	.35 (8.89)	2.37 (60.20)	R6000
THT-70-497-20	20,000	Polyimide	White	7	.25 (6.35)	.25 (6.35)	.32 (8.13)	.35 (8.89)	2.37 (60.20)	R6000
THT-90-400-5	5,000	Vinyl Cloth	White	6	.25 (6.35)	1.437 (36.5)	.35 (8.89)	1.562 (39.675)	2.20 (55.88)	R4300
THT-90-400-5-FF	5,000	Vinyl Cloth	White	6	.25 (6.35)	1.437 (36.5)	.35 (8.89)	1.562 (39.675)	2.20 (55.88)	R4300
.315" Label Width										
THT-104-497-20	20,000	Polyimide	White	6	.315 (8.00)	.177 (4.50)	.375 (9.53)	.278 (7.06)	2.39 (60.71)	R6000
THT-71-457-20	20,000	Polyimide	White	6	.315 (8.00)	.315 (8.00)	.375 (9.53)	.415 (10.54)	2.39 (60.71)	R6000
THT-71-478-20	20,000	Polyimide	White	6	.315 (8.00)	.315 (8.00)	.375 (9.53)	.415 (10.54)	2.39 (60.71)	R6000
THT-71-479-20	20,000	Polyimide	White	6	.315 (8.00)	.315 (8.00)	.375 (9.53)	.415 (10.54)	2.39 (60.71)	R6000
.318" Label Width										
THT-93-400-2	2,000	Vinyl Cloth	White	1	.318 (8.08)	2,000 (50,800)	—	—	1.00 (25.40)	R4300
.375" Label Width										
THT-38-423-10	10,000	Polyester	White	7	.375 (9.53)	.375 (9.53)	.437 (11.10)	.475 (12.07)	3.20 (81.28)	R6000
THT-38-426-10	10,000	Polyimide	Amber	7	.375 (9.53)	.375 (9.53)	.437 (11.10)	.475 (12.07)	3.20 (81.28)	R4300
THT-38-457-10	10,000	Polyimide	White	7	.375 (9.53)	.375 (9.53)	.437 (11.10)	.475 (12.07)	3.20 (81.28)	R6000
THT-38-473-10	10,000	Polyester	White	7	.375 (9.53)	.375 (9.53)	.437 (11.10)	.475 (12.07)	3.20 (81.28)	R6000
THT-38-477-10	10,000	Polyimide	White	7	.375 (9.53)	.375 (9.53)	.437 (11.10)	.475 (12.07)	3.20 (81.28)	R6000
THT-38-478-10	10,000	Polyimide	White	7	.375 (9.53)	.375 (9.53)	.437 (11.10)	.475 (12.07)	3.20 (81.28)	R6000
THT-38-479-10	10,000	Polyimide	White	7	.375 (9.53)	.375 (9.53)	.437 (11.10)	.475 (12.07)	3.20 (81.28)	R6000
THT-38-487-10	10,000	Polyimide	White	7	.375 (9.53)	.375 (9.53)	.437 (11.10)	.475 (12.07)	3.20 (81.28)	R6000
THT-38-497-10	10,000	Polyimide	White	7	.375 (9.53)	.375 (9.53)	.437 (11.10)	.475 (12.07)	3.20 (81.28)	R6000
THT-92-400-2	2,000	Vinyl Cloth	White	1	.375 (9.53)	2,000 (50,800)	—	—	1.00 (25.40)	R4300


Note: Labels in chart are sorted in order by width, height, 3 digit material number (within part number), then die number (within part number).
 -FF indicates fan-folded labels configuration.

*To choose a specific ribbon width for your particular label, please use the Ribbon/Width Cross Reference Guide on page 73.

THERMAL TRANSFER LABELS LABELS INDEX BY SIZE

Labels Index by Size

CONTINUED



Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon Series*
.50" Label Width										
THT-36-422-10	10,000	Polyester	White	5	.50 (12.70)	.20 (5.08)	.625 (15.88)	.30 (7.62)	3.20 (81.28)	R6000
THT-36-423-10	10,000	Polyester	White	5	.50 (12.70)	.20 (5.08)	.625 (15.88)	.30 (7.62)	3.20 (81.28)	R6000
THT-36-473-10	10,000	Polyester	White	5	.50 (12.70)	.20 (5.08)	.625 (15.88)	.30 (7.62)	3.20 (81.28)	R6000
THT-97-423-10	10,000	Polyester	White	1	.50 (12.70)	.20 (5.08)	---	.30 (7.62)	.70 (17.78)	R6000
THT-97-457-10	10,000	Polyimide	White	1	.50 (12.70)	.20 (5.08)	---	.30 (7.62)	.70 (17.78)	R6000
THT-97-473-10	10,000	Polyester	White	1	.50 (12.70)	.20 (5.08)	---	.30 (7.62)	.70 (17.78)	R6000
THT-97-477-10	10,000	Polyimide	White	1	.50 (12.70)	.20 (5.08)	---	.30 (7.62)	.70 (17.78)	R6000
THT-97-478-10	10,000	Polyimide	White	1	.50 (12.70)	.20 (5.08)	---	.30 (7.62)	.70 (17.78)	R6000
THT-97-479-10	10,000	Polyimide	White	1	.50 (12.70)	.20 (5.08)	---	.30 (7.62)	.70 (17.78)	R6000
THT-97-487-10	10,000	Polyimide	White	1	.50 (12.70)	.20 (5.08)	---	.30 (7.62)	.70 (17.78)	R6000
THT-97-497-10	10,000	Polyimide	White	1	.50 (12.70)	.20 (5.08)	---	.30 (7.62)	.70 (17.78)	R6000
THT-96-473-10	10,000	Polyester	White	4	.50 (12.70)	.275 (6.99)	.60 (15.24)	.375 (9.53)	2.5 (63.50)	R6000
THT-98-473-10	10,000	Polyester	White	1	.50 (12.70)	.275 (6.99)	---	.375 (9.53)	.70 (17.78)	R6000
THT-96-477-10	10,000	Polyimide	White	4	.50 (12.70)	.275 (6.99)	.60 (15.24)	.375 (9.53)	2.5 (63.50)	R6000
THT-98-477-10	10,000	Polyimide	White	1	.50 (12.70)	.275 (6.99)	---	.375 (9.53)	.70 (17.78)	R6000
THT-98-478-10	10,000	Polyimide	White	1	.50 (12.70)	.275 (6.99)	---	.375 (9.53)	.70 (17.78)	R6000
THT-98-479-10	10,000	Polyimide	White	1	.50 (12.70)	.275 (6.99)	---	.375 (9.53)	.70 (17.78)	R6000
THT-96-487-10	10,000	Polyimide	White	4	.50 (12.70)	.275 (6.99)	.60 (15.24)	.375 (9.53)	2.5 (63.50)	R6000
THT-98-487-10	10,000	Polyimide	White	1	.50 (12.70)	.275 (6.99)	---	.375 (9.53)	.70 (17.78)	R6000
THT-96-497-10	10,000	Polyimide	White	4	.50 (12.70)	.275 (6.99)	.60 (15.24)	.375 (9.53)	2.5 (63.50)	R6000
THT-98-497-10	10,000	Polyimide	White	1	.50 (12.70)	.275 (6.99)	---	.375 (9.53)	.70 (17.78)	R6000
THT-12-351-10	10,000	Tamper-Resistant Vinyl	White	5	.50 (12.70)	.437 (11.10)	.662 (16.81)	.537 (13.64)	3.35 (85.09)	R4300
THT-12-423-10	10,000	Polyester	White	5	.50 (12.70)	.437 (11.10)	.662 (16.81)	.537 (13.64)	3.35 (85.09)	R6000
THT-12-426-10	10,000	Polyimide	Amber	5	.50 (12.70)	.437 (11.10)	.662 (16.81)	.537 (13.64)	3.35 (85.09)	R4300
THT-12-428-10	10,000	Metallized Polyester	Silver	5	.50 (12.70)	.437 (11.10)	.662 (16.81)	.537 (13.64)	3.35 (85.09)	R4300
THT-12-433-10	10,000	Removable Polyester	White	5	.50 (12.70)	.437 (11.10)	.662 (16.81)	.537 (13.64)	3.35 (85.09)	R6000
THT-12-435-10	10,000	Glossy Metallized Polyester	Silver	5	.50 (12.70)	.437 (11.10)	.662 (16.81)	.537 (13.64)	3.35 (85.09)	R6000
THT-12-438-10	10,000	Tamper-Evident Polyester	Silver	5	.50 (12.70)	.437 (11.10)	.662 (16.81)	.537 (13.64)	3.35 (85.09)	R4300
THT-12-457-10	10,000	Polyimide	White	5	.50 (12.70)	.437 (11.10)	.662 (16.81)	.537 (13.64)	3.35 (85.09)	R6000
THT-12-473-10	10,000	Polyester	White	5	.50 (12.70)	.437 (11.10)	.662 (16.81)	.537 (13.64)	3.35 (85.09)	R6000
THT-12-477-10	10,000	Polyimide	White	5	.50 (12.70)	.437 (11.10)	.662 (16.81)	.537 (13.64)	3.35 (85.09)	R6000
THT-12-478-10	10,000	Polyimide	White	5	.50 (12.70)	.437 (11.10)	.662 (16.81)	.537 (13.64)	3.35 (85.09)	R6000
THT-12-479-10	10,000	Polyimide	White	5	.50 (12.70)	.437 (11.10)	.662 (16.81)	.537 (13.64)	3.35 (85.09)	R6000
THT-12-487-10	10,000	Polyimide	White	5	.50 (12.70)	.437 (11.10)	.662 (16.81)	.537 (13.64)	3.35 (85.09)	R6000
THT-12-497-10	10,000	Polyimide	White	5	.50 (12.70)	.437 (11.10)	.662 (16.81)	.537 (13.64)	3.35 (85.09)	R6000
THT-99-473-10	10,000	Polyimide	White	1	.50 (12.70)	.50 (12.70)	---	.60 (15.24)	.70 (17.78)	R6000
THT-99-477-10	10,000	Polyimide	White	1	.50 (12.70)	.50 (12.70)	---	.60 (15.24)	.70 (17.78)	R6000
THT-99-478-10	10,000	Polyimide	White	1	.50 (12.70)	.50 (12.70)	---	.60 (15.24)	.70 (17.78)	R6000
THT-99-479-10	10,000	Polyimide	White	1	.50 (12.70)	.50 (12.70)	---	.60 (15.24)	.70 (17.78)	R6000
THT-99-487-10	10,000	Polyimide	White	1	.50 (12.70)	.50 (12.70)	---	.60 (15.24)	.70 (17.78)	R6000
THT-99-497-10	10,000	Polyimide	White	1	.50 (12.70)	.50 (12.70)	---	.60 (15.24)	.70 (17.78)	R6000
THT-68-400-10	10,000	Vinyl Cloth	White	4	.50 (12.70)	.75 (19.05)	.60 (15.24)	.85 (21.59)	2.5 (63.50)	R4300
THT-68-400-10-FF	10,000	Vinyl Cloth	White	4	.50 (12.70)	.75 (19.05)	.60 (15.24)	.875 (22.23)	2.5 (63.50)	R4300
THT-68-499-10	10,000	Nylon Cloth	White	4	.50 (12.70)	.75 (19.05)	.60 (15.24)	.85 (21.59)	2.5 (63.50)	R4900
THT-87-400-5	5,000	Vinyl Cloth	White	6	.50 (12.70)	1.44 (36.5)	.60 (15.24)	1.562 (39.68)	3.7 (93.98)	R4300
THT-87-400-5-FF	5,000	Vinyl Cloth	White	6	.50 (12.70)	1.44 (36.5)	.60 (15.24)	1.562 (39.68)	3.7 (93.98)	R4300

Note: Labels in chart are sorted in order by width, height, 3 digit material number (within part number), then die number (within part number).
-FF indicates fan-folded labels configuration.


*To choose a specific ribbon width for your particular label, please use the Ribbon/Width Cross Reference Guide on page 73.

THERMAL TRANSFER PRINTERS & LABELS

THERMAL TRANSFER LABELS LABELS INDEX BY SIZE

Labels Index by Size

CONTINUED



THERMAL TRANSFER PRINTERS & LABELS

THERMAL TRANSFER LABELS LABELS INDEX BY SIZE

Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon Series*
.65" Label Width										
THT-14-351-10	10,000	Tamper-Resistant Vinyl	White	4	.65 (16.51)	.20 (5.08)	.70 (17.78)	.30 (7.62)	2.95 (74.93)	R4300
THT-14-400-10	10,000	Vinyl Cloth	White	4	.65 (16.51)	.20 (5.08)	.70 (17.78)	.30 (7.62)	2.95 (74.93)	R4300
THT-14-423-10	10,000	Polyester	White	4	.65 (16.51)	.20 (5.08)	.70 (17.78)	.30 (7.62)	2.95 (74.93)	R6000
THT-47-423-10	10,000	Polyester	White	1	.65 (16.51)	.20 (5.08)	—	.30 (7.62)	.85 (21.59)	R6000
THT-14-426-10	10,000	Polyimide	Amber	4	.65 (16.51)	.20 (5.08)	.70 (17.78)	.30 (7.62)	2.95 (74.93)	R4300
THT-47-426-10	10,000	Polyimide	Amber	1	.65 (16.51)	.20 (5.08)	—	.30 (7.62)	.85 (21.59)	R4300
THT-14-436-10	10,000	Removable Polyimide	Amber	4	.65 (16.51)	.20 (5.08)	.70 (17.78)	.30 (7.62)	2.95 (74.93)	R4300
THT-14-437W-10	10,000	Tedlar®	White	4	.65 (16.51)	.20 (5.08)	.70 (17.78)	.30 (7.62)	2.95 (74.93)	R4300
THT-14-438-10	10,000	Tamper-Evident Polyester	Silver	4	.65 (16.51)	.20 (5.08)	.70 (17.78)	.30 (7.62)	2.95 (74.93)	R4300
THT-14-457-10	10,000	Polyimide	White	4	.65 (16.51)	.20 (5.08)	.70 (17.78)	.30 (7.62)	2.95 (74.93)	R6000
THT-47-457-10	10,000	Polyimide	White	1	.65 (16.51)	.20 (5.08)	—	.30 (7.62)	.85 (21.59)	R6000
THT-14-459-10	10,000	Polyester	White	4	.65 (16.51)	.20 (5.08)	.70 (17.78)	.30 (7.62)	2.95 (74.93)	R6000
THT-14-473-10	10,000	Polyester	White	4	.65 (16.51)	.20 (5.08)	.70 (17.78)	.30 (7.62)	2.95 (74.93)	R6000
THT-47-473-10	10,000	Polyester	White	1	.65 (16.51)	.20 (5.08)	—	.30 (7.62)	.85 (21.59)	R6000
THT-14-477-10	10,000	Polyimide	White	4	.65 (16.51)	.20 (5.08)	.70 (17.78)	.30 (7.62)	2.95 (74.93)	R6000
THT-47-477-10	10,000	Polyimide	White	1	.65 (16.51)	.20 (5.08)	—	.30 (7.62)	.85 (21.59)	R6000
THT-14-478-10	10,000	Polyimide	White	4	.65 (16.51)	.20 (5.08)	.70 (17.78)	.30 (7.62)	2.95 (74.93)	R6000
THT-47-478-10	10,000	Polyimide	White	1	.65 (16.51)	.20 (5.08)	—	.30 (7.62)	.85 (21.59)	R6000
THT-14-479-10	10,000	Polyimide	White	4	.65 (16.51)	.20 (5.08)	.70 (17.78)	.30 (7.62)	2.95 (74.93)	R6000
THT-47-479-10	10,000	Polyimide	White	1	.65 (16.51)	.20 (5.08)	—	.30 (7.62)	.85 (21.59)	R6000
THT-14-487-10	10,000	Polyimide	White	4	.65 (16.51)	.20 (5.08)	.70 (17.78)	.30 (7.62)	2.95 (74.93)	R6000
THT-47-487-10	10,000	Polyimide	White	1	.65 (16.51)	.20 (5.08)	—	.30 (7.62)	.85 (21.59)	R6000
THT-14-488-10	10,000	Polyester	White	4	.65 (16.51)	.20 (5.08)	.70 (17.78)	.30 (7.62)	2.95 (74.93)	R4300
THT-14-497-10	10,000	Polyimide	White	4	.65 (16.51)	.20 (5.08)	.70 (17.78)	.30 (7.62)	2.95 (74.93)	R6000
THT-47-497-10	10,000	Polyimide	White	1	.65 (16.51)	.20 (5.08)	—	.30 (7.62)	.85 (21.59)	R6000
.70" Label Width										
THT-57-423-10	10,000	Polyester	White	4	.70 (17.78)	.375 (9.53)	.80 (20.32)	.475 (12.07)	3.35 (85.09)	R6000
THT-57-426-10	10,000	Polyimide	Amber	4	.70 (17.78)	.375 (9.53)	.80 (20.32)	.475 (12.07)	3.35 (85.09)	R4300
THT-57-473-10	10,000	Polyester	White	4	.70 (17.78)	.375 (9.53)	.80 (20.32)	.475 (12.07)	3.35 (85.09)	R6000
THT-100-473-10	10,000	Polyester	White	1	.70 (17.78)	.375 (9.53)	—	.475 (12.07)	.90 (22.86)	R6000
.75" Label Width										
THT-1-351-10	10,000	Tamper-Resistant Vinyl	White	4	.75 (19.05)	.25 (6.35)	.80 (20.32)	.35 (8.89)	3.35 (85.09)	R4300
THT-1-400-10	10,000	Vinyl Cloth	White	4	.75 (19.05)	.25 (6.35)	.80 (20.32)	.35 (8.89)	3.35 (85.09)	R4300
THT-1-423-10	10,000	Polyester	White	4	.75 (19.05)	.25 (6.35)	.80 (20.32)	.35 (8.89)	3.35 (85.09)	R6000
THT-46-423-10	10,000	Polyester	White	1	.75 (19.05)	.25 (6.35)	—	.35 (8.89)	.95 (24.13)	R6000
THT-1-426-10	10,000	Polyimide	Amber	4	.75 (19.05)	.25 (6.35)	.80 (20.32)	.35 (8.89)	3.35 (85.09)	R4300
THT-46-426-10	10,000	Polyimide	Amber	1	.75 (19.05)	.25 (6.35)	—	.35 (8.89)	.95 (24.13)	R4300
THT-1-428-10	10,000	Metallized Polyester	Silver	4	.75 (19.05)	.25 (6.35)	.80 (20.32)	.35 (8.89)	3.35 (85.09)	R4300
THT-1-435-10	10,000	Glossy Metallized Polyester	Silver	4	.75 (19.05)	.25 (6.35)	.80 (20.32)	.35 (8.89)	3.35 (85.09)	R6000
THT-1-436-10	10,000	Removable Polyimide	Amber	4	.75 (19.05)	.25 (6.35)	.80 (20.32)	.35 (8.89)	3.35 (85.09)	R4300
THT-1-437W-10	10,000	Tedlar	White	4	.75 (19.05)	.25 (6.35)	.80 (20.32)	.35 (8.89)	3.35 (85.09)	R4300
THT-1-438-10	10,000	Tamper-Evident Polyester	Silver	4	.75 (19.05)	.25 (6.35)	.80 (20.32)	.35 (8.89)	3.35 (85.09)	R4300
THT-1-457-10	10,000	Polyimide	White	4	.75 (19.05)	.25 (6.35)	.80 (20.32)	.35 (8.89)	3.35 (85.09)	R6000
THT-46-457-10	10,000	Polyimide	White	1	.75 (19.05)	.25 (6.35)	—	.35 (8.89)	.95 (24.13)	R6000
THT-1-459-10	10,000	Polyester	White	4	.75 (19.05)	.25 (6.35)	.80 (20.32)	.35 (8.89)	3.35 (85.09)	R6000
THT-1-473-10	10,000	Polyester	White	4	.75 (19.05)	.25 (6.35)	.80 (20.32)	.35 (8.89)	3.35 (85.09)	R6000
THT-46-473-10	10,000	Polyester	White	1	.75 (19.05)	.25 (6.35)	—	.35 (8.89)	.95 (24.13)	R6000
THT-1-477-10	10,000	Polyimide	White	4	.75 (19.05)	.25 (6.35)	.80 (20.32)	.35 (8.89)	3.35 (85.09)	R6000
THT-46-477-10	10,000	Polyimide	White	1	.75 (19.05)	.25 (6.35)	—	.35 (8.89)	.95 (24.13)	R6000
THT-1-478-10	10,000	Polyimide	White	4	.75 (19.05)	.25 (6.35)	.80 (20.32)	.35 (8.89)	3.35 (85.09)	R6000


Tedlar® is a registered trademark of DuPont

Note: Labels in chart are sorted in order by width, height, 3 digit material number (within part number), then die number (within part number).

*To choose a specific ribbon width for your particular label, please use the Ribbon/Width Cross Reference Guide on page 73.

Labels Index by Size

CONTINUED



Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon Series*
.75" Label Width (Cont.)										
THT-46-478-10	10,000	Polyimide	White	1	.75 (19.05)	.25 (6.35)	—	.35 (8.89)	.95 (24.13)	R6000
THT-1-479-10	10,000	Polyimide	White	4	.75 (19.05)	.25 (6.35)	.80 (20.32)	.35 (8.89)	3.35 (85.09)	R6000
THT-46-479-10	10,000	Polyimide	White	1	.75 (19.05)	.25 (6.35)	—	.35 (8.89)	.95 (24.13)	R6000
THT-1-487-10	10,000	Polyimide	White	4	.75 (19.05)	.25 (6.35)	.80 (20.32)	.35 (8.89)	3.35 (85.09)	R6000
THT-46-487-10	10,000	Polyimide	White	1	.75 (19.05)	.25 (6.35)	—	.35 (8.89)	.95 (24.13)	R6000
THT-1-488-10	10,000	Polyester	White	4	.75 (19.05)	.25 (6.35)	.80 (20.32)	.35 (8.89)	3.35 (85.09)	R4300
THT-1-497-10	10,000	Polyimide	White	4	.75 (19.05)	.25 (6.35)	.80 (20.32)	.35 (8.89)	3.35 (85.09)	R6000
THT-46-497-10	10,000	Polyimide	White	1	.75 (19.05)	.25 (6.35)	—	.35 (8.89)	.95 (24.13)	R6000
THT-50-423-10	10,000	Polyester	White	4	.75 (19.05)	.75 (19.05)	.80 (20.32)	.875 (22.23)	3.35 (85.09)	R6000
THT-50-426-10	10,000	Polyimide	Amber	4	.75 (19.05)	.75 (19.05)	.80 (20.32)	.875 (22.23)	3.35 (85.09)	R4300
THT-91-400-5	5,000	Vinyl Cloth	White	4	.75 (19.05)	.937 (23.8)	.875 (22.23)	1.062 (26.98)	3.5 (88.9)	R4300
THT-91-400-5-FF	5,000	Vinyl Cloth	White	4	.75 (19.05)	.937 (23.8)	.875 (22.23)	1.062 (26.98)	3.5 (88.9)	R4300
.80" Label Width										
THT-69-499-3	3,000	Nylon Cloth	White	2	.80 (20.32)	1.437 (36.50)	.90 (22.86)	1.54 (39.12)	1.9 (48.26)	R4900
THT-95-400-5	5,000	Vinyl Cloth	White	3	.80 (20.32)	1.437 (36.50)	.90 (22.86)	1.562 (39.68)	2.8 (71.12)	R4300
THT-95-400-5-FF	5,000	Vinyl Cloth	White	3	.80 (20.32)	1.437 (36.50)	.90 (22.86)	1.562 (39.68)	2.8 (71.12)	R4300
.90" Label Width										
THT-2-423-10	10,000	Polyester	White	3	.90 (22.86)	.25 (6.35)	1.125 (28.58)	.35 (8.89)	3.35 (85.09)	R6000
THT-49-423-10	10,000	Polyester	White	1	.90 (22.86)	.25 (6.35)	—	.35 (8.89)	1.10 (27.94)	R6000
THT-2-426-10	10,000	Polyimide	Amber	3	.90 (22.86)	.25 (6.35)	1.125 (28.58)	.35 (8.89)	3.35 (85.09)	R4300
THT-49-426-10	10,000	Polyimide	Amber	1	.90 (22.86)	.25 (6.35)	—	.35 (8.89)	1.10 (27.94)	R4300
THT-2-437W-10	10,000	Tedlar®	White	3	.90 (22.86)	.25 (6.35)	1.125 (28.58)	.35 (8.89)	3.35 (85.09)	R4300
THT-2-457-10	10,000	Polyimide	White	3	.90 (22.86)	.25 (6.35)	1.125 (28.58)	.35 (8.89)	3.35 (85.09)	R6000
THT-49-457-10	10,000	Polyimide	White	1	.90 (22.86)	.25 (6.35)	—	.35 (8.89)	1.10 (27.94)	R6000
THT-2-459-10	10,000	Polyester	Clear	3	.90 (22.86)	.25 (6.35)	1.125 (28.58)	.35 (8.89)	3.35 (85.09)	R6000
THT-2-473-10	10,000	Polyester	White	3	.90 (22.86)	.25 (6.35)	1.125 (28.58)	.35 (8.89)	3.35 (85.09)	R6000
THT-49-473-10	10,000	Polyester	White	1	.90 (22.86)	.25 (6.35)	—	.35 (8.89)	1.10 (27.94)	R6000
THT-2-478-10	10,000	Polyester	White	3	.90 (22.86)	.25 (6.35)	1.125 (28.58)	.35 (8.89)	3.35 (85.09)	R6000
THT-49-478-10	10,000	Polyester	White	1	.90 (22.86)	.25 (6.35)	—	.35 (8.89)	1.10 (27.94)	R6000
THT-2-479-10	10,000	Polyester	White	3	.90 (22.86)	.25 (6.35)	1.125 (28.58)	.35 (8.89)	3.35 (85.09)	R6000
THT-49-479-10	10,000	Polyester	White	1	.90 (22.86)	.25 (6.35)	—	.35 (8.89)	1.10 (27.94)	R6000
THT-2-488-10	10,000	Polyester	White	3	.90 (22.86)	.25 (6.35)	1.125 (28.58)	.35 (8.89)	3.35 (85.09)	R4300
1.00" Label Width										
THT-41-423-10	10,000	Polyester	White	3	1.00 (25.40)	.187 (4.75)	1.075 (27.31)	.287 (7.29)	3.35 (85.09)	R6000
THT-42-423-10	10,000	Polyester	White	1	1.00 (25.40)	.187 (4.75)	—	.287 (6.93)	1.20 (30.48)	R6000
THT-41-426-10	10,000	Polyimide	Amber	3	1.00 (25.40)	.187 (4.75)	1.075 (27.31)	.287 (7.29)	3.35 (85.09)	R4300
THT-42-426-10	10,000	Polyimide	Amber	1	1.00 (25.40)	.187 (4.75)	—	.287 (6.93)	1.20 (30.48)	R4300
THT-42-457-10	10,000	Polyimide	White	1	1.00 (25.40)	.187 (4.75)	—	.287 (6.93)	1.20 (30.48)	R6000
THT-42-477-10	10,000	Polyimide	White	1	1.00 (25.40)	.187 (4.75)	—	.287 (6.93)	1.20 (30.48)	R6000
THT-42-478-10	10,000	Polyimide	White	1	1.00 (25.40)	.187 (4.75)	—	.287 (6.93)	1.20 (30.48)	R6000
THT-42-479-10	10,000	Polyimide	White	1	1.00 (25.40)	.187 (4.75)	—	.287 (6.93)	1.20 (30.48)	R6000
THT-42-487-10	10,000	Polyimide	White	1	1.00 (25.40)	.187 (4.75)	—	.287 (6.93)	1.20 (30.48)	R6000
THT-42-497-10	10,000	Polyimide	White	1	1.00 (25.40)	.187 (4.75)	—	.287 (6.93)	1.20 (30.48)	R6000
THT-51-423-10	10,000	Polyester	White	3	1.00 (25.40)	.25 (6.35)	1.075 (27.31)	.375 (9.53)	3.35 (85.09)	R6000
THT-103-423-10	10,000	Polyester	White	1	1.00 (25.40)	.25 (6.35)	—	.35 (8.89)	1.20 (30.48)	R6000
THT-51-426-10	10,000	Polyimide	Amber	3	1.00 (25.40)	.25 (6.35)	1.075 (27.31)	.375 (9.53)	3.35 (85.09)	R4300
THT-103-426-10	10,000	Polyimide	Amber	1	1.00 (25.40)	.25 (6.35)	—	.35 (8.89)	1.20 (30.48)	R4300
THT-103-457-10	10,000	Polyimide	White	1	1.00 (25.40)	.25 (6.35)	—	.35 (8.89)	1.20 (30.48)	R6000
THT-103-473-10	10,000	Polyester	White	1	1.00 (25.40)	.25 (6.35)	—	.35 (8.89)	1.20 (30.48)	R6000
THT-103-477-10	10,000	Polyimide	White	1	1.00 (25.40)	.25 (6.35)	—	.35 (8.89)	1.20 (30.48)	R6000

Tedlar® is a registered trademark of DuPont

Note: Labels in chart are sorted in order by width, height, 3 digit material number (within part number), then die number (within part number).
-FF indicates fan-folded labels configuration.


*To choose a specific ribbon width for your particular label, please use the Ribbon/Width Cross Reference Guide on page 73.

THERMAL TRANSFER PRINTERS & LABELS

THERMAL TRANSFER LABELS LABELS INDEX BY SIZE

Labels Index by Size

CONTINUED



THERMAL TRANSFER PRINTERS & LABELS

THERMAL TRANSFER LABELS LABELS INDEX BY SIZE

Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon Series*
1.00" Label Width (Cont.)										
THT-103-478-10	10,000	Polyimide	White	1	1.00 (25.40)	.25 (6.35)	—	.35 (8.89)	1.20 (30.48)	R6000
THT-103-479-10	10,000	Polyimide	White	1	1.00 (25.40)	.25 (6.35)	—	.35 (8.89)	1.20 (30.48)	R6000
THT-103-487-10	10,000	Polyimide	White	1	1.00 (25.40)	.25 (6.35)	—	.35 (8.89)	1.20 (30.48)	R6000
THT-103-497-10	10,000	Polyimide	White	1	1.00 (25.40)	.25 (6.35)	—	.35 (8.89)	1.20 (30.48)	R6000
THT-3-423-10	10,000	Polyester	White	3	1.00 (25.40)	.375 (9.53)	1.075 (27.31)	.475 (12.07)	3.35 (85.09)	R6000
THT-3-426-10	10,000	Polyimide	Amber	3	1.00 (25.40)	.375 (9.53)	1.075 (27.31)	.475 (12.07)	3.35 (85.09)	R4300
THT-3-428-10	10,000	Metallized Polyester	Silver	3	1.00 (25.40)	.375 (9.53)	1.075 (27.31)	.475 (12.07)	3.35 (85.09)	R4300
THT-58-457-10	10,000	Polyimide	White	1	1.00 (25.40)	.375 (9.53)	—	.475 (12.06)	1.20 (30.48)	R6000
THT-3-473-10	10,000	Polyester	White	3	1.00 (25.40)	.375 (9.53)	1.075 (27.31)	.475 (12.07)	3.35 (85.09)	R6000
THT-58-473-10	10,000	Polyester	White	1	1.00 (25.40)	.375 (9.53)	—	.475 (12.06)	1.20 (30.48)	R6000
THT-3-478-10	10,000	Polyester	White	3	1.00 (25.40)	.375 (9.53)	1.075 (27.31)	.475 (12.07)	3.35 (85.09)	R6000
THT-58-478-10	10,000	Polyester	White	1	1.00 (25.40)	.375 (9.53)	—	.475 (12.06)	1.20 (30.48)	R6000
THT-3-479-10	10,000	Polyester	White	3	1.00 (25.40)	.375 (9.53)	1.075 (27.31)	.475 (12.07)	3.35 (85.09)	R6000
THT-58-479-10	10,000	Polyester	White	1	1.00 (25.40)	.375 (9.53)	—	.475 (12.06)	1.20 (30.48)	R6000
THT-30-425-10	10,000	Polyolefin	White	3	1.00 (25.40)	.393 (9.98)	1.075 (27.31)	.475 (12.07)	3.35 (85.09)	R6200
THT-5-351-10	10,000	Tamper-Resistant Vinyl	White	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R4300
THT-59-351-10	10,000	Tamper-Resistant Vinyl	White	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R4300
THT-5-352-10	10,000	Tamper-Resistant Vinyl	Silver	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R6000
THT-59-352-10	10,000	Tamper-Resistant Vinyl	Silver	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R6000
THT-5-400-10	10,000	Vinyl Cloth	White	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R4300
THT-39-407-10	10,000	Polyolefin	Clear	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.625 (15.88)	3.35 (85.09)	R6200
THT-5-422-10	10,000	Polyester	White	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R6000
THT-5-423-10	10,000	Polyester	White	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R6000
THT-59-423-10	10,000	Polyester	White	1	1.00 (25.40)	.50 (12.70)	—	.60 (15.24)	1.20 (30.48)	R6000
THT-5-425-10	10,000	Polyolefin	White	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R6200
THT-5-426-10	10,000	Polyimide	Amber	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R4300
THT-5-428-10	10,000	Metallized Polyester	Silver	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R4300
THT-5-449-10	10,000	Polypropylene	White	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R6200
THT-39-430-10	10,000	Polyester	Clear	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.625 (15.88)	3.35 (85.09)	R6000
THT-5-433-10	10,000	Removable Polyester	White	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R6000
THT-5-434-10	10,000	Metallized Polyester	Silver	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R6000
THT-5-435-10	10,000	Glossy Metallized Polyester	Silver	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R6000
THT-5-437W-10	10,000	Tedlar®	White	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R4300
THT-5-437Y-10	10,000	Tedlar	Yellow	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R4300
THT-5-438-10	10,000	Tamper-Evident Polyester	Silver	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R4300
THT-59-457-10	10,000	Polyimide	White	1	1.00 (25.40)	.50 (12.70)	—	.60 (15.24)	1.20 (30.48)	R6000
THT-5-459-10	10,000	Polyester	White	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R6000
THT-5-473-10	10,000	Polyester	White	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R6000
THT-59-473-10	10,000	Polyester	White	1	1.00 (25.40)	.50 (12.70)	—	.60 (15.24)	1.20 (30.48)	R6000
THT-59-477-10	10,000	Polyimide	White	1	1.00 (25.40)	.50 (12.70)	—	.60 (15.24)	1.20 (30.48)	R6000
THT-5-478-10	10,000	Polyester	White	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R6000
THT-59-478-10	10,000	Polyimide	White	1	1.00 (25.40)	.50 (12.70)	—	.60 (15.24)	1.20 (30.48)	R6000
THT-5-479-10	10,000	Polyester	White	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R6000
THT-59-479-10	10,000	Polyimide	White	1	1.00 (25.40)	.50 (12.70)	—	.60 (15.24)	1.20 (30.48)	R6000
THT-5-483-10	10,000	Polyester	White	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R6000
THT-59-483-10	10,000	Polyester	White	1	1.00 (25.40)	.50 (12.70)	—	.60 (15.24)	1.20 (30.48)	R6000
THT-5-486-10	10,000	Metallized Polyester	Silver	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R4300
THT-59-486-5	5,000	Metallized Polyester	Silver	1	1.00 (25.40)	.50 (12.70)	—	.60 (15.24)	1.20 (30.48)	R4300
THT-59-487-10	10,000	Polyimide	White	1	1.00 (25.40)	.50 (12.70)	—	.60 (15.24)	1.20 (30.48)	R6000
THT-5-488-10	10,000	Polyester	White	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R4300
THT-5-489-10	10,000	Polyester	White	3	1.00 (25.40)	.50 (12.70)	1.075 (27.31)	.60 (15.24)	3.35 (85.09)	R6000
THT-59-489-10	10,000	Polyester	White	1	1.00 (25.40)	.50 (12.70)	—	.60 (15.24)	1.20 (30.48)	R6000


Tedlar® is a registered trademark of DuPont

Note: Labels in chart are sorted in order by width, height, 3 digit material number (within part number), then die number (within part number).

*To choose a specific ribbon width for your particular label, please use the Ribbon/Width Cross Reference Guide on page 73.

Labels Index by Size

CONTINUED



Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon Series*
1.00" Label Width (Cont.)										
THT-59-497-10	10,000	Polyimide	White	1	1.00 (25.40)	.50 (12.70)	—	.60 (15.24)	1.20 (30.48)	R6000
THT-5-7546-10	10,000	Tamper Evident Polyester	White	1	1.00 (25.40)	.50 (12.70)	—	.60 (15.24)	1.20 (30.48)	R6000
THT-59-7546-10	10,000	Tamper Evident Polyester	White	1	1.00 (25.40)	.50 (12.70)	—	.60 (15.24)	1.20 (30.48)	R6000
THT-5-7576-10	10,000	Tamper Evident Polyester	Silver	1	1.00 (25.40)	.50 (12.70)	—	.60 (15.24)	1.20 (30.48)	R6000
THT-59-7576-10	10,000	Tamper Evident Polyester	Silver	1	1.00 (25.40)	.50 (12.70)	—	.60 (15.24)	1.20 (30.48)	R6000
THT-88-400-5	5,000	Vinyl Cloth	White	2	1.00 (25.40)	.75 (19.05)	1.10 (27.94)	.875 (22.23)	2.30 (58.42)	R4300
THT-88-400-5-FF	5,000	Vinyl Cloth	White	2	1.00 (25.40)	.75 (19.05)	1.10 (27.94)	.875 (22.23)	2.30 (58.42)	R4300
THT-89-400-5	5,000	Vinyl Cloth	White	3	1.00 (25.40)	1.44 (36.50)	1.10 (27.94)	1.562 (39.68)	3.40 (86.36)	R4300
THT-89-400-5-FF	5,000	Vinyl Cloth	White	3	1.00 (25.40)	1.44 (36.50)	1.10 (27.94)	1.562 (39.68)	3.40 (86.36)	R4300
1.10" Label Width										
THT-31-423-10	10,000	Polyester	White	2	1.10 (27.94)	.38 (9.65)	1.20 (30.48)	.50 (12.70)	2.50 (63.50)	R6000
1.25" Label Width										
THT-13-423-10	10,000	Polyester	White	2	1.25 (31.75)	.25 (6.35)	1.30 (33.02)	.375 (9.53)	2.75 (69.85)	R6000
THT-43-423-10	10,000	Polyester	White	1	1.25 (31.75)	.25 (6.35)	—	.35 (8.89)	1.45 (36.83)	R6000
THT-13-426-10	10,000	Polyimide	Amber	2	1.25 (31.75)	.25 (6.35)	1.30 (33.02)	.375 (9.53)	2.75 (69.85)	R4300
THT-43-426-10	10,000	Polyimide	Amber	1	1.25 (31.75)	.25 (6.35)	—	.35 (8.89)	1.45 (36.83)	R4300
THT-13-433-10	10,000	Removable Polyester	White	2	1.25 (31.75)	.25 (6.35)	1.30 (33.02)	.375 (9.53)	2.75 (69.85)	R6000
THT-13-449-10	10,000	Polypropylene	White	2	1.25 (31.75)	.25 (6.35)	1.30 (33.02)	.375 (9.53)	2.75 (69.85)	R6200
THT-13-457-10	10,000	Polyimide	White	2	1.25 (31.75)	.25 (6.35)	1.30 (33.02)	.375 (9.53)	2.75 (69.85)	R6000
THT-43-457-10	10,000	Polyimide	White	1	1.25 (31.75)	.25 (6.35)	—	.35 (8.89)	1.45 (36.83)	R6000
THT-13-473-10	10,000	Polyester	White	2	1.25 (31.75)	.25 (6.35)	1.30 (33.02)	.375 (9.53)	2.75 (69.85)	R6000
THT-43-473-10	10,000	Polyester	White	1	1.25 (31.75)	.25 (6.35)	—	.35 (8.89)	1.45 (36.83)	R6000
THT-43-477-10	10,000	Polyimide	White	1	1.25 (31.75)	.25 (6.35)	—	.35 (8.89)	1.45 (36.83)	R6000
THT-43-478-10	10,000	Polyimide	White	1	1.25 (31.75)	.25 (6.35)	—	.35 (8.89)	1.45 (36.83)	R6000
THT-43-479-10	10,000	Polyimide	White	1	1.25 (31.75)	.25 (6.35)	—	.35 (8.89)	1.45 (36.83)	R6000
THT-43-487-10	10,000	Polyimide	White	1	1.25 (31.75)	.25 (6.35)	—	.35 (8.89)	1.45 (36.83)	R6000
THT-43-497-10	10,000	Polyimide	White	1	1.25 (31.75)	.25 (6.35)	—	.35 (8.89)	1.45 (36.83)	R6000
THT-29-423-10	10,000	Polyester	White	2	1.25 (31.75)	.375 (9.53)	1.30 (33.02)	.475 (12.07)	2.75 (69.85)	R6000
THT-29-426-10	10,000	Polyimide	Amber	2	1.25 (31.75)	.375 (9.53)	1.30 (33.02)	.475 (12.07)	2.75 (69.85)	R4300
THT-29-437W-10	10,000	Tedlar®	White	2	1.25 (31.75)	.375 (9.53)	1.30 (33.02)	.475 (12.07)	2.75 (69.85)	R4300
THT-29-437Y-10	10,000	Tedlar	Yellow	2	1.25 (31.75)	.375 (9.53)	1.30 (33.02)	.475 (12.07)	2.75 (69.85)	R4300
THT-29-478-10	10,000	Polyester	White	2	1.25 (31.75)	.375 (9.53)	1.30 (33.02)	.475 (12.07)	2.75 (69.85)	R6000
THT-29-479-10	10,000	Polyester	White	2	1.25 (31.75)	.375 (9.53)	1.30 (33.02)	.475 (12.07)	2.75 (69.85)	R6000
1.375" Label Width										
THT-40-423-10	10,000	Polyester	White	2	1.375 (34.93)	.25 (6.35)	1.475 (37.47)	.375 (9.53)	3.05 (77.47)	R6000
THT-44-423-10	10,000	Polyester	White	1	1.375 (34.93)	.25 (6.35)	—	.35 (8.89)	1.60 (40.64)	R6000
THT-40-426-10	10,000	Polyimide	Amber	2	1.375 (34.93)	.25 (6.35)	1.475 (37.47)	.375 (9.53)	3.05 (77.47)	R4300
THT-44-426-10	10,000	Polyimide	Amber	1	1.375 (34.93)	.25 (6.35)	—	.35 (8.89)	1.60 (40.64)	R4300
THT-40-457-10	10,000	Polyimide	White	2	1.375 (34.93)	.25 (6.35)	1.475 (37.47)	.375 (9.53)	3.05 (77.47)	R6000
THT-44-457-10	10,000	Polyimide	White	1	1.375 (34.93)	.25 (6.35)	—	.35 (8.89)	1.60 (40.64)	R6000
THT-40-477-10	10,000	Polyimide	White	2	1.375 (34.93)	.25 (6.35)	1.475 (37.47)	.375 (9.53)	3.05 (77.47)	R6000
THT-44-477-10	10,000	Polyimide	White	1	1.375 (34.93)	.25 (6.35)	—	.35 (8.89)	1.60 (40.64)	R6000
THT-44-478-10	10,000	Polyimide	White	1	1.375 (34.93)	.25 (6.35)	—	.35 (8.89)	1.60 (40.64)	R6000
THT-44-479-10	10,000	Polyimide	White	1	1.375 (34.93)	.25 (6.35)	—	.35 (8.89)	1.60 (40.64)	R6000
THT-40-487-10	10,000	Polyimide	White	2	1.375 (34.93)	.25 (6.35)	1.475 (37.47)	.375 (9.53)	3.05 (77.47)	R6000
THT-44-487-10	10,000	Polyimide	White	1	1.375 (34.93)	.25 (6.35)	—	.35 (8.89)	1.60 (40.64)	R6000
THT-40-497-10	10,000	Polyimide	White	2	1.375 (34.93)	.25 (6.35)	1.475 (37.47)	.375 (9.53)	3.05 (77.47)	R6000
THT-44-497-10	10,000	Polyimide	White	1	1.375 (34.93)	.25 (6.35)	—	.35 (8.89)	1.60 (40.64)	R6000

Tedlar® is a registered trademark of DuPont

Note: Labels in chart are sorted in order by width, height, 3 digit material number (within part number), then die number (within part number).
-FF indicates fan-folded labels configuration.


*To choose a specific ribbon width for your particular label, please use the Ribbon/Width Cross Reference Guide on page 73.

THERMAL TRANSFER PRINTERS & LABELS

THERMAL TRANSFER LABELS LABELS INDEX BY SIZE

Labels Index by Size

CONTINUED



THERMAL TRANSFER PRINTERS & LABELS

THERMAL TRANSFER LABELS LABELS INDEX BY SIZE

Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon Series*
1.50" Label Width										
THT-28-423-10	10,000	Polyester	White	2	1.50 (38.10)	.125 (3.18)	1.65 (41.91)	.25 (6.35)	3.35 (85.09)	R6000
THT-28-426-10	10,000	Polyimide	Amber	2	1.50 (38.10)	.125 (3.18)	1.65 (41.91)	.25 (6.35)	3.35 (85.09)	R4300
THT-60-457-10	10,000	Polyimide	White	1	1.50 (38.10)	.125 (3.18)	—	.225 (5.72)	1.70 (43.18)	R6000
THT-60-477-10	10,000	Polyimide	White	1	1.50 (38.10)	.125 (3.18)	—	.225 (5.72)	1.70 (43.18)	R6000
THT-60-478-10	10,000	Polyimide	White	1	1.50 (38.10)	.125 (3.18)	—	.225 (5.72)	1.70 (43.18)	R6000
THT-60-479-10	10,000	Polyimide	White	1	1.50 (38.10)	.125 (3.18)	—	.225 (5.72)	1.70 (43.18)	R6000
THT-60-487-10	10,000	Polyimide	White	1	1.50 (38.10)	.125 (3.18)	—	.225 (5.72)	1.70 (43.18)	R6000
THT-60-497-10	10,000	Polyimide	White	1	1.50 (38.10)	.125 (3.18)	—	.225 (5.72)	1.70 (43.18)	R6000
THT-4-351-10	10,000	Tamper-Resistant Vinyl	White	2	1.50 (38.10)	.25 (6.35)	1.65 (41.91)	.35 (8.89)	3.35 (85.09)	R4300
THT-4-423-10	10,000	Polyester	White	2	1.50 (38.10)	.25 (6.35)	1.65 (41.91)	.35 (8.89)	3.35 (85.09)	R6000
THT-45-423-10	10,000	Polyester	White	1	1.50 (38.10)	.25 (6.35)	—	.35 (8.89)	1.70 (43.18)	R6000
THT-4-426-10	10,000	Polyimide	Amber	2	1.50 (38.10)	.25 (6.35)	1.65 (41.91)	.35 (8.89)	3.35 (85.09)	R4300
THT-45-426-10	10,000	Polyimide	Amber	1	1.50 (38.10)	.25 (6.35)	—	.35 (8.89)	1.70 (43.18)	R4300
THT-4-457-10	10,000	Polyimide	White	2	1.50 (38.10)	.25 (6.35)	1.65 (41.91)	.35 (8.89)	3.35 (85.09)	R6000
THT-45-457-10	10,000	Polyimide	White	1	1.50 (38.10)	.25 (6.35)	—	.35 (8.89)	1.70 (43.18)	R6000
THT-4-473-10	10,000	Polyester	White	2	1.50 (38.10)	.25 (6.35)	1.65 (41.91)	.35 (8.89)	3.35 (85.09)	R6000
THT-45-473-10	10,000	Polyester	White	1	1.50 (38.10)	.25 (6.35)	—	.35 (8.89)	1.70 (43.18)	R6000
THT-4-477-10	10,000	Polyimide	White	1	1.50 (38.10)	.25 (6.35)	—	.35 (8.89)	1.70 (43.18)	R6000
THT-4-478-10	10,000	Polyester	White	2	1.50 (38.10)	.25 (6.35)	1.65 (41.91)	.35 (8.89)	3.35 (85.09)	R6000
THT-45-478-10	10,000	Polyimide	White	1	1.50 (38.10)	.25 (6.35)	—	.35 (8.89)	1.70 (43.18)	R6000
THT-4-479-10	10,000	Polyester	White	2	1.50 (38.10)	.25 (6.35)	1.65 (41.91)	.35 (8.89)	3.35 (85.09)	R6000
THT-45-479-10	10,000	Polyimide	White	1	1.50 (38.10)	.25 (6.35)	—	.35 (8.89)	1.70 (43.18)	R6000
THT-45-487-10	10,000	Polyimide	White	1	1.50 (38.10)	.25 (6.35)	—	.35 (8.89)	1.70 (43.18)	R6000
THT-45-497-10	10,000	Polyimide	White	1	1.50 (38.10)	.25 (6.35)	—	.35 (8.89)	1.70 (43.18)	R6000
THT-102-422-10	10,000	Polyester	White	1	1.50 (38.10)	.37 (9.40)	—	.50 (12.70)	1.70 (43.18)	R6000
THT-37-351-10	10,000	Tamper-Resistant Vinyl	White	2	1.50 (38.10)	.50 (12.70)	1.65 (41.91)	.60 (15.24)	3.35 (85.09)	R4300
THT-37-352-10	10,000	Tamper-Resistant Vinyl	Silver	2	1.50 (38.10)	.50 (12.70)	1.65 (41.91)	.60 (15.24)	3.35 (85.09)	R6000
THT-37-423-10	10,000	Polyester	White	2	1.50 (38.10)	.50 (12.70)	1.65 (41.91)	.60 (15.24)	3.35 (85.09)	R6000
THT-37-428-10	10,000	Metallized Polyester	Silver	2	1.50 (38.10)	.50 (12.70)	1.65 (41.91)	.60 (15.24)	3.35 (85.09)	R4300
THT-37-434-10	10,000	Metallized Polyester	Silver	2	1.50 (38.10)	.50 (12.70)	1.65 (41.91)	.60 (15.24)	3.35 (85.09)	R6000
THT-37-483-10	10,000	Polyester	White	2	1.50 (38.10)	.50 (12.70)	1.65 (41.91)	.60 (15.24)	3.35 (85.09)	R6000
THT-37-486-10	10,000	Metallized Polyester	Silver	2	1.50 (38.10)	.50 (12.70)	1.65 (41.91)	.60 (15.24)	3.35 (85.09)	R4300
THT-37-489-10	10,000	Polyester	White	2	1.50 (38.10)	.50 (12.70)	1.65 (41.91)	.60 (15.24)	3.35 (85.09)	R6000
THT-37-7546-10	10,000	Tamper-Evident Polyester	White	2	1.50 (38.10)	.50 (12.70)	1.65 (41.91)	.60 (15.24)	3.35 (85.09)	R6000
THT-37-7576-10	10,000	Tamper-Evident Polyester	Silver	2	1.50 (38.10)	.50 (12.70)	1.65 (41.91)	.60 (15.24)	3.35 (85.09)	R6000
THT-6-351-10	10,000	Tamper-Resistant Vinyl	White	2	1.50 (38.10)	.75 (19.05)	1.65 (41.91)	.875 (22.23)	3.35 (85.09)	R4300
THT-6-352-10	10,000	Tamper-Resistant Vinyl	Silver	2	1.50 (38.10)	.75 (19.05)	1.65 (41.91)	.875 (22.23)	3.35 (85.09)	R6000
THT-6-423-10	10,000	Polyester	White	2	1.50 (38.10)	.75 (19.05)	1.65 (41.91)	.875 (22.23)	3.35 (85.09)	R6000
THT-6-428-10	10,000	Metallized Polyester	Silver	2	1.50 (38.10)	.75 (19.05)	1.65 (41.91)	.875 (22.23)	3.35 (85.09)	R4300
THT-6-434-10	10,000	Metallized Polyester	Silver	2	1.50 (38.10)	.75 (19.05)	1.65 (41.91)	.875 (22.23)	3.35 (85.09)	R6000
THT-6-486-10	10,000	Metallized Polyester	Silver	2	1.50 (38.10)	.75 (19.05)	1.65 (41.91)	.875 (22.23)	3.35 (85.09)	R4300
THT-6-7546-10	10,000	Tamper-Evident Polyester	White	2	1.50 (38.10)	.75 (19.05)	1.65 (41.91)	.875 (22.23)	3.35 (85.09)	R6000
THT-6-7576-10	10,000	Tamper-Evident Polyester	Silver	2	1.50 (38.10)	.75 (19.05)	1.65 (41.91)	.875 (22.23)	3.35 (85.09)	R6000
THT-105-437W	1 roll	Tedlar®	White	1	1.50 (38.10)	Continuous	—	100 LYD	1.75 (44.45)	R4300
THT-105-437Y	1 roll	Tedlar	Yellow	1	1.50 (38.10)	Continuous	—	100 LYD	1.75 (44.45)	R4300
1.75" Label Width										
THT-72-457-10	10,000	Polyimide	White	1	1.75 (44.45)	.25 (6.35)	—	.35 (8.89)	1.95 (49.53)	R6000
THT-72-478-10	10,000	Polyimide	White	1	1.75 (44.45)	.25 (6.35)	—	.35 (8.89)	1.95 (49.53)	R6000
THT-72-479-10	10,000	Polyimide	White	1	1.75 (44.45)	.25 (6.35)	—	.35 (8.89)	1.95 (49.53)	R6000
THT-72-497-10	10,000	Polyimide	White	1	1.75 (44.45)	.25 (6.35)	—	.35 (8.89)	1.95 (49.53)	R6000


Tedlar® is a registered trademark of DuPont

Note: Labels in chart are sorted in order by width, height, 3 digit material number (within part number), then die number (within part number).

*To choose a specific ribbon width for your particular label, please use the Ribbon/Width Cross Reference Guide on page 73.

Labels Index by Size

CONTINUED



Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon Series*
2.00" Label Width										
THT-15-351-2.5	2,500	Tamper-Resistant Vinyl	White	1	2.00 (50.80)	.25 (6.35)	—	.35 (8.89)	2.20 (55.88)	R4300
THT-15-423-2.5	2,500	Polyester	White	1	2.00 (50.80)	.25 (6.35)	—	.35 (8.89)	2.20 (55.88)	R6000
THT-48-423-10	10,000	Polyester	White	1	2.00 (50.80)	.25 (6.35)	—	.35 (8.89)	2.20 (55.88)	R6000
THT-15-426-2.5	2,500	Polyimide	Amber	1	2.00 (50.80)	.25 (6.35)	—	.35 (8.89)	2.20 (55.88)	R4300
THT-48-426-10	10,000	Polyimide	Amber	1	2.00 (50.80)	.25 (6.35)	—	.35 (8.89)	2.20 (55.88)	R4300
THT-15-457-2.5	2,500	Polyimide	White	1	2.00 (50.80)	.25 (6.35)	—	.35 (8.89)	2.20 (55.88)	R6000
THT-48-457-10	10,000	Polyimide	White	1	2.00 (50.80)	.25 (6.35)	—	.35 (8.89)	2.20 (55.88)	R6000
THT-15-459-2.5	2,500	Polyester	White	1	2.00 (50.80)	.25 (6.35)	—	.35 (8.89)	2.20 (55.88)	R6000
THT-15-473-2.5	2,500	Polyester	White	1	2.00 (50.80)	.25 (6.35)	—	.35 (8.89)	2.20 (55.88)	R6000
THT-48-473-10	10,000	Polyester	White	1	2.00 (50.80)	.25 (6.35)	—	.35 (8.89)	2.20 (55.88)	R6000
THT-15-477-2.5	2,500	Polyimide	White	1	2.00 (50.80)	.25 (6.35)	—	.35 (8.89)	2.20 (55.88)	R6000
THT-48-477-10	10,000	Polyimide	White	1	2.00 (50.80)	.25 (6.35)	—	.35 (8.89)	2.20 (55.88)	R6000
THT-48-478-10	10,000	Polyimide	White	1	2.00 (50.80)	.25 (6.35)	—	.35 (8.89)	2.20 (55.88)	R6000
THT-48-479-10	10,000	Polyimide	White	1	2.00 (50.80)	.25 (6.35)	—	.35 (8.89)	2.20 (55.88)	R6000
THT-15-487-2.5	2,500	Polyimide	White	1	2.00 (50.80)	.25 (6.35)	—	.35 (8.89)	2.20 (55.88)	R6000
THT-48-487-10	10,000	Polyimide	White	1	2.00 (50.80)	.25 (6.35)	—	.35 (8.89)	2.20 (55.88)	R6000
THT-15-488-2.5	2,500	Polyester	White	1	2.00 (50.80)	.25 (6.35)	—	.35 (8.89)	2.20 (55.88)	R4300
THT-48-497-10	10,000	Polyimide	White	1	2.00 (50.80)	.25 (6.35)	—	.35 (8.89)	2.20 (55.88)	R4300
THT-15-497-2.5	2,500	Polyimide	White	1	2.00 (50.80)	.25 (6.35)	—	.35 (8.89)	2.20 (55.88)	R6000
THT-79-423-10	10,000	Polyester	White	1	2.00 (50.80)	.40 (10.16)	—	.50 (12.70)	2.20 (55.88)	R6000
THT-53-351-3	3,000	Tamper-Resistant Vinyl	White	1	2.00 (50.80)	.50 (12.70)	—	.60 (15.24)	2.20 (55.88)	R4300
THT-53-352-3	3,000	Tamper-Resistant Vinyl	Silver	1	2.00 (50.80)	.50 (12.70)	—	.60 (15.24)	2.20 (55.88)	R6000
THT-53-423-3	3,000	Polyester	White	1	2.00 (50.80)	.50 (12.70)	—	.60 (15.24)	2.20 (55.88)	R6000
THT-53-424-3	3,000	Paper	White	1	2.00 (50.80)	.50 (12.70)	—	.60 (15.24)	2.20 (55.88)	R4300
THT-53-428-3	3,000	Metallized Polyester	Silver	1	2.00 (50.80)	.50 (12.70)	—	.60 (15.24)	2.20 (55.88)	R4300
THT-53-486-3	3,000	Metallized Polyester	Silver	1	2.00 (50.80)	.50 (12.70)	—	.60 (15.24)	2.20 (55.88)	R4300
THT-53-7546-3	3,000	Tamper-Evident Polyester	White	1	2.00 (50.80)	.50 (12.70)	—	.60 (15.24)	2.20 (55.88)	R6000
THT-53-7576-3	3,000	Tamper-Evident Polyester	Silver	1	2.00 (50.80)	.50 (12.70)	—	.60 (15.24)	2.20 (55.88)	R6000
THT-17-351-3	3,000	Tamper-Resistant Vinyl	White	1	2.00 (50.80)	1.00 (25.40)	—	1.125 (28.58)	2.125 (53.98)	R4300
THT-17-352-3	3,000	Tamper-Resistant Vinyl	Silver	1	2.00 (50.80)	1.00 (25.40)	—	1.125 (28.58)	2.125 (53.98)	R6000
THT-17-402-5.2	5,200	Paper	White	1	2.00 (50.80)	1.00 (25.40)	—	1.125 (28.58)	2.125 (53.98)	R6100
THT-17-407-3	3,000	Polyolefin	Clear	1	2.00 (50.80)	1.00 (25.40)	—	1.125 (28.58)	2.20 (55.88)	R6200
THT-17-408-3	3,000	Paper	White	1	2.00 (50.80)	1.00 (25.40)	—	1.125 (28.58)	2.20 (55.88)	R4300
THT-17-422-3	3,000	Polyester	White	1	2.00 (50.80)	1.00 (25.40)	—	1.125 (28.58)	2.20 (55.88)	R6000
THT-17-423-3	3,000	Polyester	White	1	2.00 (50.80)	1.00 (25.40)	—	1.125 (28.58)	2.20 (55.88)	R6000
THT-17-424-3	3,000	Paper	White	1	2.00 (50.80)	1.00 (25.40)	—	1.125 (28.58)	2.20 (55.88)	R4300
THT-17-425-3	3,000	Polyolefin	White	1	2.00 (50.80)	1.00 (25.40)	—	1.125 (28.58)	2.20 (55.88)	R6200
THT-17-428-3	3,000	Metallized Polyester	Silver	1	2.00 (50.80)	1.00 (25.40)	—	1.125 (28.58)	2.20 (55.88)	R4300
THT-17-430-3	3,000	Polyester	Clear	1	2.00 (50.80)	1.00 (25.40)	—	1.125 (28.58)	2.20 (55.88)	R6000
THT-17-432-3	3,000	Polyester	Clear	1	2.00 (50.80)	1.00 (25.40)	—	1.125 (28.58)	2.20 (55.88)	R6000
THT-17-434-3	3,000	Metallized Polyester	Silver	1	2.00 (50.80)	1.00 (25.40)	—	1.125 (28.58)	2.20 (55.88)	R6000
THT-17-438-3	3,000	Tamper-Evident Polyester	Silver	1	2.00 (50.80)	1.00 (25.40)	—	1.125 (28.58)	2.20 (55.88)	R4300
THT-17-449-3	3,000	Polypropylene	White	1	2.00 (50.80)	1.00 (25.40)	—	1.125 (28.58)	2.20 (55.88)	R6200
THT-17-483-3	3,000	Polyester	White	1	2.00 (50.80)	1.00 (25.40)	—	1.125 (28.58)	2.20 (55.88)	R6000
THT-17-486-3	3,000	Metallized Polyester	Silver	1	2.00 (50.80)	1.00 (25.40)	—	1.125 (28.58)	2.20 (55.88)	R4300
THT-17-488-3	3,000	Polyester	White	1	2.00 (50.80)	1.00 (25.40)	—	1.125 (28.58)	2.20 (55.88)	R4300
THT-17-489-3	3,000	Polyester	White	1	2.00 (50.80)	1.00 (25.40)	—	1.125 (28.58)	2.20 (55.88)	R6000
THT-17-7546-3	3,000	Tamper-Evident Polyester	White	1	2.00 (50.80)	1.00 (25.40)	—	1.125 (28.58)	2.20 (55.88)	R6000
THT-17-7576-3	3,000	Tamper-Evident Polyester	Silver	1	2.00 (50.80)	1.00 (25.40)	—	1.125 (28.58)	2.20 (55.88)	R6000
THT-106-423	1 roll	Polyester	White	1	2.00 (50.80)	Continuous	—	100 LYD	2.20 (55.88)	R6000
THT-106-428	1 roll	Metallized Polyester	Silver	1	2.00 (50.80)	Continuous	—	100 LYD	2.20 (55.88)	R4300
THT-106-439W	1 roll	Colored Vinyl	White	1	2.00 (50.80)	Continuous	—	100 LYD	2.20 (55.88)	R6000
THT-106-483	1 roll	Polyester	White	1	2.00 (50.80)	Continuous	—	100 LYD	2.20 (55.88)	R6000
THT-106-486	1 roll	Metallized Polyester	White	1	2.00 (50.80)	Continuous	—	100 LYD	2.20 (55.88)	R4300

Note: Labels in chart are sorted in order by width, height, 3 digit material number (within part number), then die number (within part number).


*To choose a specific ribbon width for your particular label, please use the Ribbon/Width Cross Reference Guide on page 73.

THERMAL TRANSFER PRINTERS & LABELS

THERMAL TRANSFER LABELS LABELS INDEX BY SIZE

Labels Index by Size

CONTINUED



THERMAL TRANSFER PRINTERS & LABELS

THERMAL TRANSFER LABELS LABELS INDEX BY SIZE


Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon Series*
2.75" Label Width										
THT-7-351-10	10,000	Tamper-Resistant Vinyl	White	1	2.75 (69.85)	1.25 (31.75)	—	1.375 (34.93)	2.95 (74.93)	R4300
THT-7-352-10	10,000	Tamper-Resistant Vinyl	Silver	1	2.75 (69.85)	1.25 (31.75)	—	1.375 (34.93)	2.95 (74.93)	R6000
THT-7-422-3	3,000	Polyester	White	1	2.75 (69.85)	1.25 (31.75)	—	1.375 (34.93)	2.95 (74.93)	R6000
THT-7-423-3	3,000	Polyester	White	1	2.75 (69.85)	1.25 (31.75)	—	1.375 (34.93)	2.95 (74.93)	R6000
THT-7-424-3	3,000	Paper	White	1	2.75 (69.85)	1.25 (31.75)	—	1.375 (34.93)	2.95 (74.93)	R4300
THT-7-425-3	3,000	Polyolefin	White	1	2.75 (69.85)	1.25 (31.75)	—	1.375 (34.93)	2.95 (74.93)	R6200
THT-7-428-3	3,000	Metallized Polyester	Silver	1	2.75 (69.85)	1.25 (31.75)	—	1.375 (34.93)	2.95 (74.93)	R4300
THT-7-483-3	3,000	Polyester	White	1	2.75 (69.85)	1.25 (31.75)	—	1.375 (34.93)	2.95 (74.93)	R6000
THT-7-486-3	3,000	Metallized Polyester	Silver	1	2.75 (69.85)	1.25 (31.75)	—	1.375 (34.93)	2.95 (74.93)	R4300
THT-7-489-3	3,000	Polyester	White	1	2.75 (69.85)	1.25 (31.75)	—	1.375 (34.93)	2.95 (74.93)	R6000
THT-7-7546-10	10,000	Tamper-Evident Polyester	White	1	2.75 (69.85)	1.25 (31.75)	—	1.375 (34.93)	2.95 (74.93)	R6000
THT-7-7576-10	10,000	Tamper-Evident Polyester	Silver	1	2.75 (69.85)	1.25 (31.75)	—	1.375 (34.93)	2.95 (74.93)	R6000
3.00" Label Width										
THT-16-423-2.5	2,500	Polyester	White	1	3.00 (76.20)	.25 (6.35)	—	.375 (9.53)	3.20 (81.28)	R6000
THT-16-426-2.5	2,500	Polyimide	Amber	1	3.00 (76.20)	.25 (6.35)	—	.375 (9.53)	3.20 (81.28)	R4300
THT-16-478-2.5	2,500	Polyimide	White	1	3.00 (76.20)	.25 (6.35)	—	.375 (9.53)	3.20 (81.28)	R6000
THT-16-479-2.5	2,500	Polyimide	White	1	3.00 (76.20)	.25 (6.35)	—	.375 (9.53)	3.20 (81.28)	R6000
THT-16-497-2.5	2,500	Polyimide	White	1	3.00 (76.20)	.25 (6.35)	—	.375 (9.53)	3.20 (81.28)	R6000
THT-18-351-3	3,200	Tamper-Resistant Vinyl	White	1	3.00 (76.20)	1.00 (25.40)	—	1.125 (28.58)	3.20 (81.28)	R4300
THT-18-352-3	3,200	Tamper-Resistant Vinyl	Silver	1	3.00 (76.20)	1.00 (25.40)	—	1.125 (28.58)	3.20 (81.28)	R6000
THT-18-402-5.2	5,200	Paper	White	1	3.00 (76.20)	1.00 (25.40)	—	1.125 (28.58)	3.20 (81.28)	R6100
THT-18-407-3	3,000	Polyolefin	Clear	1	3.00 (76.20)	1.00 (25.40)	—	1.125 (28.58)	3.20 (81.28)	R6200
THT-18-408-3	3,000	Paper	White	1	3.00 (76.20)	1.00 (25.40)	—	1.125 (28.58)	3.20 (81.28)	R4300
THT-18-422-3	3,000	Polyester	White	1	3.00 (76.20)	1.00 (25.40)	—	1.125 (28.58)	3.20 (81.28)	R6000
THT-18-423-3	3,000	Polyester	White	1	3.00 (76.20)	1.00 (25.40)	—	1.125 (28.58)	3.20 (81.28)	R6000
THT-18-424-3	3,000	Paper	White	1	3.00 (76.20)	1.00 (25.40)	—	1.125 (28.58)	3.20 (81.28)	R4300
THT-18-425-3	3,000	Polyolefin	White	1	3.00 (76.20)	1.00 (25.40)	—	1.125 (28.58)	3.20 (81.28)	R6200
THT-18-428-3	3,000	Metallized Polyester	Silver	1	3.00 (76.20)	1.00 (25.40)	—	1.125 (28.58)	3.20 (81.28)	R4300
THT-18-430-3	3,000	Polyester	Clear	1	3.00 (76.20)	1.00 (25.40)	—	1.125 (28.58)	3.20 (81.28)	R6000
THT-18-432-3	3,000	Polyester	Clear	1	3.00 (76.20)	1.00 (25.40)	—	1.125 (28.58)	3.20 (81.28)	R6000
THT-18-433-3	3,000	Removable Polyester	White	1	3.00 (76.20)	1.00 (25.40)	—	1.125 (28.58)	3.20 (81.28)	R6000
THT-18-434-3	3,000	Metallized Polyester	Silver	1	3.00 (76.20)	1.00 (25.40)	—	1.125 (28.58)	3.20 (81.28)	R6000
THT-18-435-3	3,000	Glossy Metallized Polyester	Silver	1	3.00 (76.20)	1.00 (25.40)	—	1.125 (28.58)	3.20 (81.28)	R6000
THT-18-438-3	3,000	Tamper-Evident Polyester	Silver	1	3.00 (76.20)	1.00 (25.40)	—	1.125 (28.58)	3.20 (81.28)	R4300
THT-18-449-3	3,000	Polypropylene	White	1	3.00 (76.20)	1.00 (25.40)	—	1.125 (28.58)	3.20 (81.28)	R6200
THT-18-483-3	3,000	Polyester	White	1	3.00 (76.20)	1.00 (25.40)	—	1.125 (28.58)	3.20 (81.28)	R6000
THT-18-486-3	3,000	Metallized Polyester	Silver	1	3.00 (76.20)	1.00 (25.40)	—	1.125 (28.58)	3.20 (81.28)	R4300
THT-18-488-3	3,000	Polyester	White	1	3.00 (76.20)	1.00 (25.40)	—	1.125 (28.58)	3.20 (81.28)	R4300
THT-18-489-3	3,000	Polyester	White	1	3.00 (76.20)	1.00 (25.40)	—	1.125 (28.58)	3.20 (81.28)	R6000
THT-18-7546-3	3,000	Tamper-Evident Polyester	White	1	3.00 (76.20)	1.00 (25.40)	—	1.125 (28.58)	3.20 (81.28)	R6000
THT-18-7576-3	3,000	Tamper-Evident Polyester	Silver	1	3.00 (76.20)	1.00 (25.40)	—	1.125 (28.58)	3.20 (81.28)	R6000
THT-19-351-1	1,000	Tamper-Resistant Vinyl	White	1	3.00 (76.20)	2.00 (50.80)	—	2.125 (53.98)	3.20 (81.28)	R4300
THT-19-352-1	1,000	Tamper-Resistant Vinyl	Silver	1	3.00 (76.20)	2.00 (50.80)	—	2.125 (53.98)	3.20 (81.28)	R6000
THT-19-402-3	3,000	Paper	White	1	3.00 (76.20)	2.00 (50.80)	—	2.125 (53.98)	3.20 (81.28)	R6100
THT-19-407-1	1,000	Polyolefin	Clear	1	3.00 (76.20)	2.00 (50.80)	—	2.125 (53.98)	3.20 (81.28)	R6200
THT-19-408-1	1,000	Paper	White	1	3.00 (76.20)	2.00 (50.80)	—	2.125 (53.98)	3.20 (81.28)	R4300
THT-19-422-1	1,000	Polyester	White	1	3.00 (76.20)	2.00 (50.80)	—	2.125 (53.98)	3.20 (81.28)	R6000
THT-19-423-1	1,000	Polyester	White	1	3.00 (76.20)	2.00 (50.80)	—	2.125 (53.98)	3.20 (81.28)	R6000
THT-19-424-1	1,000	Paper	White	1	3.00 (76.20)	2.00 (50.80)	—	2.125 (53.98)	3.20 (81.28)	R4300
THT-19-425-1	1,000	Polyolefin	White	1	3.00 (76.20)	2.00 (50.80)	—	2.125 (53.98)	3.20 (81.28)	R6200
THT-19-428-1	1,000	Metallized Polyester	Silver	1	3.00 (76.20)	2.00 (50.80)	—	2.125 (53.98)	3.20 (81.28)	R4300
THT-19-430-1	1,000	Polyester	Clear	1	3.00 (76.20)	2.00 (50.80)	—	2.125 (53.98)	3.20 (81.28)	R6000
THT-19-432-1	1,000	Polyester	Clear	1	3.00 (76.20)	2.00 (50.80)	—	2.125 (53.98)	3.20 (81.28)	R6000
THT-19-433-1	1,000	Removable Polyester	White	1	3.00 (76.20)	2.00 (50.80)	—	2.125 (53.98)	3.20 (81.28)	R6000
THT-19-434-1	1,000	Metallized Polyester	Silver	1	3.00 (76.20)	2.00 (50.80)	—	2.125 (53.98)	3.20 (81.28)	R6000

Note: Labels in chart are sorted in order by width, height, 3 digit material number (within part number), then die number (within part number).

*To choose a specific ribbon width for your particular label, please use the Ribbon/Width Cross Reference Guide on page 73.

Labels Index by Size

CONTINUED




Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon Series*
3.00" Label Width (Cont.)										
THT-19-435-1	1,000	Glossy Metallized Polyester	Silver	1	3.00 (76.20)	2.00 (50.80)	---	2.125 (53.98)	3.20 (81.28)	R6000
THT-19-438-1	1,000	Tamper-Evident Polyester	Silver	1	3.00 (76.20)	2.00 (50.80)	---	2.125 (53.98)	3.20 (81.28)	R4300
THT-19-449-1	1,000	Polypropylene	White	1	3.00 (76.20)	2.00 (50.80)	---	2.125 (53.98)	3.20 (81.28)	R6000
THT-19-459-1	1,000	Polyester	White	1	3.00 (76.20)	2.00 (50.80)	---	2.125 (53.98)	3.20 (81.28)	R6000
THT-19-483-1	1,000	Polyester	White	1	3.00 (76.20)	2.00 (50.80)	---	2.125 (53.98)	3.20 (81.28)	R6000
THT-19-486-1	1,000	Metallized Polyester	Silver	1	3.00 (76.20)	2.00 (50.80)	---	2.125 (53.98)	3.20 (81.28)	R4300
THT-19-488-1	1,000	Polyester	White	1	3.00 (76.20)	2.00 (50.80)	---	2.125 (53.98)	3.20 (81.28)	R4300
THT-19-489-1	1,000	Polyester	White	1	3.00 (76.20)	2.00 (50.80)	---	2.125 (53.98)	3.20 (81.28)	R6000
THT-19-7546-1	1,000	Tamper-Evident Polyester	White	1	3.00 (76.20)	2.00 (50.80)	---	2.125 (53.98)	3.20 (81.28)	R6000
THT-19-7576-1	1,000	Tamper-Evident Polyester	Silver	1	3.00 (76.20)	2.00 (50.80)	---	2.125 (53.98)	3.20 (81.28)	R6000
THT-20-402-11	1,100	Paper	White	1	3.00 (76.20)	5.00 (127.00)	---	5.125 (130.18)	3.20 (81.28)	R6100
THT-20-408-1	1,000	Paper	White	1	3.00 (76.20)	5.00 (127.00)	---	5.125 (130.18)	3.20 (81.28)	R4300
THT-20-424-1	1,000	Paper	White	1	3.00 (76.20)	5.00 (127.00)	---	5.125 (130.18)	3.20 (81.28)	R4300
THT-20-425-1	1,000	Polyolefin	White	1	3.00 (76.20)	5.00 (127.00)	---	5.125 (130.18)	3.20 (81.28)	R6200
THT-21-407	1 Roll	Polyolefin	Clear	1	3.00 (76.20)	100 LYD	---	Continuous	3.20 (81.28)	R6200
THT-21-423	1 Roll	Polyester	White	1	3.00 (76.20)	100 LYD	---	Continuous	3.20 (81.28)	R6000
THT-21-424	1 Roll	Paper	White	1	3.00 (76.20)	100 LYD	---	Continuous	3.20 (81.28)	R4300
THT-21-428	1 Roll	Metallized Polyester	Silver	1	3.00 (76.20)	100 LYD	---	Continuous	3.20 (81.28)	R4300
THT-21-430	1 Roll	Polyester	Clear	1	3.00 (76.20)	100 LYD	---	Continuous	3.20 (81.28)	R6000
THT-21-434	1 Roll	Metallized Polyester	Silver	1	3.00 (76.20)	100 LYD	---	Continuous	3.20 (81.28)	R6000
THT-21-437W	1 Roll	Tedlar®	White	1	3.00 (76.20)	100 LYD	---	Continuous	3.20 (81.28)	R4300
THT-21-437Y	1 Roll	Tedlar	Yellow	1	3.00 (76.20)	100 LYD	---	Continuous	3.20 (81.28)	R4300
THT-21-438	1 Roll	Tamper-Evident Polyester	Silver	1	3.00 (76.20)	100 LYD	---	Continuous	3.20 (81.28)	R4300
THT-21-439W	1 Roll	Colored Vinyl	Silver	1	3.00 (76.20)	100 LYD	---	Continuous	3.20 (81.28)	R6000
THT-21-483	1 Roll	Polyester	White	1	3.00 (76.20)	100 LYD	---	Continuous	3.20 (81.28)	R6000
THT-21-486	1 Roll	Metallized Polyester	Silver	1	3.00 (76.20)	100 LYD	---	Continuous	3.20 (81.28)	R4300
THT-21-489	1 Roll	Polyester	White	1	3.00 (76.20)	100 LYD	---	Continuous	3.20 (81.28)	R6000
4.00" Label Width										
THT-55-402-3	3,000	Paper	White	1	4.00 (101.60)	2.00 (50.80)	---	2.125 (53.98)	4.20 (106.68)	R6100
THT-55-408-1	1,000	Paper	White	1	4.00 (101.60)	2.00 (50.80)	---	2.125 (53.98)	4.20 (106.68)	R4300
THT-55-423-1	1,000	Polyester	White	1	4.00 (101.60)	2.00 (50.80)	---	2.125 (53.98)	4.20 (106.68)	R6000
THT-55-424-1	1,000	Paper	White	1	4.00 (101.60)	2.00 (50.80)	---	2.125 (53.98)	4.20 (106.68)	R4300
THT-55-425-1	1,000	Polyolefin	White	1	4.00 (101.60)	2.00 (50.80)	---	2.125 (53.98)	4.20 (106.68)	R6200
THT-55-428-1	1,000	Metallized Polyester	Silver	1	4.00 (101.60)	2.00 (50.80)	---	2.125 (53.98)	4.20 (106.68)	R4300
THT-55-434-1	1,000	Metallized Polyester	Silver	1	4.00 (101.60)	2.00 (50.80)	---	2.125 (53.98)	4.20 (106.68)	R6000
THT-55-435-1	1,000	Glossy Metallized Polyester	Silver	1	4.00 (101.60)	2.00 (50.80)	---	2.125 (53.98)	4.20 (106.68)	R6000
THT-55-449-1	1,000	Polypropylene	White	1	4.00 (101.60)	2.00 (50.80)	---	2.125 (53.98)	4.20 (106.68)	R6200
THT-55-483-1	1,000	Polyester	White	1	4.00 (101.60)	2.00 (50.80)	---	2.125 (53.98)	4.20 (106.68)	R6000
THT-55-488-1	1,000	Polyester	White	1	4.00 (101.60)	2.00 (50.80)	---	2.125 (53.98)	4.20 (106.68)	R4300
THT-55-489-1	1,000	Polyester	White	1	4.00 (101.60)	2.00 (50.80)	---	2.125 (53.98)	4.20 (106.68)	R6000
THT-76-422-1	1,000	Polyester	White	1	4.00 (101.60)	3.00 (76.20)	---	3.125 (79.38)	4.20 (106.68)	R6000
THT-76-425-1	1,000	Polyester	White	1	4.00 (101.60)	3.00 (76.20)	---	3.125 (79.38)	4.20 (106.68)	R6200
THT-76-449-1	1,000	Polypropylene	White	1	4.00 (101.60)	3.00 (76.20)	---	3.125 (79.38)	4.20 (106.68)	R6200
THT-76-483-1	1,000	Polyester	White	1	4.00 (101.60)	3.00 (76.20)	---	3.125 (79.37)	4.20 (106.68)	R6000
THT-76-489-1	1,000	Polyester	White	1	4.00 (101.60)	3.00 (76.20)	---	3.125 (79.37)	4.20 (106.68)	R6000
THT-77-402-1.4	1,400	Paper	White	1	4.00 (101.60)	4.00 (101.60)	---	4.125 (104.78)	4.125 (104.78)	R6100
THT-25-402-1	1,000	Paper	White	1	4.00 (101.60)	6.00 (152.40)	---	6.125 (155.58)	4.20 (106.68)	R6100
THT-25-408-1	1,000	Paper	White	1	4.00 (101.60)	6.00 (152.40)	---	6.125 (155.58)	4.20 (106.68)	R4300
THT-25-424-1	1,000	Paper	White	1	4.00 (101.60)	6.00 (152.40)	---	6.125 (155.58)	4.20 (106.68)	R4300
THT-78-402-0.9	900	Paper	White	1	4.00 (101.60)	6.50 (165.10)	---	6.625 (168.25)	4.125 (104.78)	R6100
THT-78-408-1	1,000	Paper	White	1	4.00 (101.60)	6.50 (165.10)	---	6.625 (168.28)	4.20 (106.68)	R4300
THT-107-423	1 roll	Polyester	White	1	4.00 (101.60)	Continuous	---	100 LYD	4.20 (106.68)	R6000
THT-107-428	1 roll	Metallized Polyester	Silver	1	4.00 (101.60)	Continuous	---	100 LYD	4.20 (106.68)	R4300
THT-107-439W	1 roll	Colored Vinyl	White	1	4.00 (101.60)	Continuous	---	100 LYD	4.20 (106.68)	R6000
THT-107-483	1 roll	Polyester	White	1	4.00 (101.60)	Continuous	---	100 LYD	4.20 (106.68)	R6000
THT-107-486	1 roll	Metallized Polyester	Silver	1	4.00 (101.60)	Continuous	---	100 LYD	4.20 (106.68)	R4300

Tedlar® is a registered trademark of DuPont

Note: Labels in chart are sorted in order by width, height, 3 digit material number (within part number), then die number (within part number).

*To choose a specific ribbon width for your particular label, please use the Ribbon/Width Cross Reference Guide on page 73.

Permashield™ Markers by Size




Clear polyester (B-966) overlamine extends 0.125 outside of label on each side.

Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon Series*
1.25" Label Width										
THT-22-423-2	2,000	Polyester	White	2	1.25 (31.75)	.75 (19.05)	1.65 (41.91)	1.125 (28.58)	3.35 (85.09)	R6000
THT-22-424-2	2,000	Paper	White	2	1.25 (31.75)	.75 (19.05)	1.65 (41.91)	1.125 (28.58)	3.35 (85.09)	R4300
THT-22-428-2	2,000	Metallized Polyester	Silver	2	1.25 (31.75)	.75 (19.05)	1.65 (41.91)	1.125 (28.58)	3.35 (85.09)	R4300
2.00" Label Width										
THT-23-423-2	2,000	Polyester	White	1	2.00 (50.80)	1.00 (25.40)	NA	1.375 (34.93)	2.45 (62.23)	R6000
THT-23-424-2	2,000	Paper	White	1	2.00 (50.80)	1.00 (25.40)	NA	1.375 (34.93)	2.45 (62.23)	R4300
THT-23-428-2	2,000	Metallized Polyester	Silver	1	2.00 (50.80)	1.00 (25.40)	NA	1.375 (34.93)	2.45 (62.23)	R4300
2.75" Label Width										
THT-24-423-1	1,000	Polyester	White	1	2.75 (69.85)	1.75 (44.45)	NA	2.125 (53.98)	3.20 (81.28)	R6000
THT-24-424-1	1,000	Paper	White	1	2.75 (69.85)	1.75 (44.45)	NA	2.125 (53.98)	3.20 (81.28)	R4300
THT-24-428-1	1,000	Metallized Polyester	Silver	1	2.75 (69.85)	1.75 (44.45)	NA	2.125 (53.98)	3.20 (81.28)	R4300

Note: Labels in chart are sorted in order by width, height, 3 digit material number (within part number), then die number (within part number).

*To choose a specific ribbon width for your particular label, please use the Ribbon/Width Cross Reference Guide on page 73.

Self-Laminating by Size



Part Number	Pieces Per Pkg.	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Write-On Height Inch (mm) C	Horizontal Repeat Inch (mm) D	Vertical Repeat Inch (mm) E	Web Width Inch (mm) F	Recommended Ribbon Series*
.50" Label Width											
THT-80-427-5	5,000	Vinyl	White/Transparent	4	.50 (12.70)	.75 (19.05)	.375 (9.53)	.60 (15.24)	.95 (24.13)	2.50 (63.50)	R6200
THT-8-427-10	10,000	Vinyl	White/Transparent	5	.50 (12.70)	1.437 (36.50)	.50 (12.70)	.662 (16.81)	1.625 (41.28)	3.35 (85.09)	R6200
.75" Label Width											
THT-56-427-10	10,000	Vinyl	White/Transparent	4	.75 (19.05)	.9375 (23.81)	.375 (9.52)	.80 (20.32)	1.125 (28.58)	3.35 (85.09)	R6200
THT-73-427-10	10,000	Vinyl	White/Transparent	4	.75 (19.05)	1.75 (44.45)	.50 (12.70)	.80 (20.32)	1.875 (47.63)	3.35 (85.09)	R6200
.80" Label Width											
THT-74-427-10	10,000	Vinyl	White/Transparent	4	.80 (20.32)	1.437 (36.50)	.50 (12.70)	.80 (20.32)	1.625 (41.28)	3.35 (85.09)	R6200
1.00" Label Width											
THT-9-427-10	10,000	Vinyl	White/Transparent	3	1.00 (25.40)	1.437 (36.50)	.50 (12.70)	1.075 (27.30)	1.625 (41.28)	3.35 (85.09)	R6200
THT-75-427-3	3,000	Vinyl	White/Transparent	2	1.00 (25.40)	2.25 (57.15)	.75 (19.05)	1.10 (27.94)	2.375 (60.33)	2.30 (58.42)	R6200
THT-10-427-3	3,000	Vinyl	White/Transparent	3	1.00 (25.40)	3.75 (95.25)	1.00 (25.40)	1.075 (27.30)	4.00 (101.60)	3.35 (85.09)	R6200
THT-81-427-1	1,000	Vinyl	White/Transparent	2	1.00 (25.40)	6.00 (152.40)	1.50 (38.10)	1.10 (27.94)	6.187 (157.15)	2.20 (55.88)	R6200
2.00" Label Width											
THT-27-427-1	1,000	Vinyl	White/Transparent	1	2.00 (50.80)	3.75 (95.25)	1.00 (25.40)	NA	4.00 (101.60)	2.20 (55.88)	R6200
THT-82-427-5	500	Vinyl	White/Transparent	1	2.00 (50.80)	6.00 (152.40)	1.00 (25.40)	NA	6.25 (158.75)	2.20 (55.88)	R6200
THT-83-427-5	500	Vinyl	White/Transparent	1	2.00 (50.80)	7.00 (177.80)	1.50 (38.10)	NA	7.187 (182.55)	2.20 (55.88)	R6200
2.50" Label Width											
THT-26-427-1	1,000	Vinyl	White/Transparent	1	2.50 (63.50)	2.25 (57.15)	.75 (19.05)	NA	2.438 (61.93)	2.70 (68.58)	R6200


Perforations exist between each row of self-laminating labels for easy tear off and fan folding.

Note: Labels in chart are sorted in order by width, height, 3 digit material number (within part number), then die number (within part number).

*To choose a specific ribbon width for your particular label, please use the Ribbon/Width Cross Reference Guide on page 73.

Self-Laminating Labels by Size

One-Across Rotated



Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Horizontal Repeat Inch (mm) C	Vertical Repeat Inch (mm) D	Web Width Inch (mm) E	Recommended Ribbon Series*
.50" Label Width										
THT-61-427-5	5,000	Vinyl	White/Transparent	1	.50 (12.70)	1.437 (36.50)	.50 (12.70)	.687 (17.45)	1.637 (41.58)	R6200
.75" Label Width										
THT-62-427-3.5	3,500	Vinyl	White/Transparent	1	.75 (19.05)	1.75 (44.45)	.50 (12.70)	.937 (23.80)	1.95 (49.53)	R6200
.80" Label Width										
THT-63-427-3.5	3,500	Vinyl	White/Transparent	1	.80 (20.32)	1.437 (36.50)	.50 (12.70)	.987 (25.07)	1.637 (41.58)	R6200
1.00" Label Width										
THT-64-427-3	3,000	Vinyl	White/Transparent	1	1.00 (25.40)	2.25 (57.15)	.75 (19.05)	1.187 (30.15)	2.45 (62.23)	R6200
THT-65-427-3	3,000	Vinyl	White/Transparent	1	1.00 (25.40)	3.75 (95.25)	1.00 (25.40)	1.187 (30.15)	3.95 (100.33)	R6200
THT-84-427-3	3,000	Vinyl	White/Transparent	1	1.00 (25.40)	6.00 (152.40)	1.50 (38.10)	1.20 (30.48)	6.20 (157.48)	R6200
1.90" Label Width										
THT-66-427-1.5	1,500	Vinyl	White/Transparent	1	1.90 (48.26)	3.187 (80.95)	.75 (19.05)	2.15 (54.61)	3.387 (86.03)	R6200
2.00" Label Width										
THT-67-427-1.5	1,500	Vinyl	White/Transparent	1	2.00 (50.80)	2.25 (57.15)	.75 (19.05)	2.187 (55.55)	2.45 (62.23)	R6200
THT-85-427-2	2,000	Vinyl	White/Transparent	1	2.00 (50.80)	6.00 (152.40)	1.50 (38.10)	2.20 (55.88)	6.20 (157.48)	R6200
THT-86-427-2	2,000	Vinyl	White/Transparent	1	2.00 (50.80)	7.00 (177.80)	1.50 (38.10)	2.20 (55.88)	7.20 (182.88)	R6200


Perforations exist between each row of self-laminating labels for easy tear off and fan folding.

Note: Labels in chart are sorted in order by width, height, 3 digit material number (within part number), then die number (within part number).

*To choose a specific ribbon width for your particular label, please use the Ribbon/Width Cross Reference Guide on page 73.

Tags by Size

One-Across



Part Number	Pieces Per Package	Material	Color	Labels Per Row	Label Width Inch (mm) A	Label Height Inch (mm) B	Vertical Repeat Inch (mm) C	Web Width Inch (mm) D	Recommended Ribbon Series*
3.00" Label Width									
THT-33-109-5	500	Polyethylene Tag	White	1	3.00 (76.20)	6.00 (152.40)	6.00 (152.40)	3.00 (76.20)	R4300
THT-33-411-1	2 rolls of 500	Polyolefin Tag	White	1	3.00 (76.20)	6.00 (152.40)	6.00 (152.40)	3.00 (76.20)	R4300
THT-33-412-1	2 rolls of 500	Polypropylene Tag	White	1	3.00 (76.20)	6.00 (152.40)	6.00 (152.40)	3.00 (76.20)	R6200

Note: Labels in chart are sorted in order by width, height, 3 digit material number (within part number), then die number (within part number).

*To choose a specific ribbon width for your particular label, please use the Ribbon/Width Cross Reference Guide on page 73.

THERMAL TRANSFER PRINTERS & LABELS

THERMAL TRANSFER LABELS SELF-LAMINATING LABELS BY SIZE