

Write-On Labels

SPECIALTY PRODUCTS

- B-500 Vinyl Cloth (WO, WOS)
- B-619 Polyester (WOX)
- B-184 Aluminum Foil (WOAF)

Ordering Information: When ordering, remember that stock number (WO-, WOS-, WOX-, or WOAF-) indicates material type. When ordering, please specify the total number of cards, not number of labels. To determine quantity of cards, divide the label total by the number of labels per card. Note: All WOAF aluminum foil labels have an aluminum, not a white background.

QUALITY CONTROL

| Label Dimensions | Labels Per Card | Card Dimensions |
|----------------------------------|-----------------|----------------------------------|
| 1.50" x .625" (38.1mm x 15.88mm) | 14 labels | 2.00" x 9.00" (50.8mm x 228.6mm) |

REJECTED DATE _____
 REASON _____
 BY _____

WO-1; WOX-1; WOAF-1
Red on white label

RETURN TO VENDOR BY _____ DATE _____
 REASON: _____

WO-4
Orange on white label

EXPERIMENT NO. _____
 DATE _____ BY _____

WO-22
Green on white label

CERTIFICATION BY _____ DATE _____
 DUE _____

WO-42
Black on white label

ACCEPTED BY _____ DATE _____

WO-2; WOX-2; WOAF-2
Green on white label

RE-WORK DATE _____
 BY: _____
 REASON: _____

WO-5; WOX-5
Black on yellow label

SCRAPPED DATE _____
 INITIALS _____

WO-33
Orange on white label

INSPECTED BY: _____
 DATE _____

WO-52
Black on white label

HOLD FOR _____
 UNTIL _____

WO-3
Black on light red label

HOLD FOR INSPECTION BY _____ DATE _____
 REASON: _____

WO-6
Blue on white label

TESTED DATE _____ INITIALS _____

WO-38; WOX-38; WOAF-38
Green on white label

BILINGUAL

| Label Dimensions | Labels Per Card | Card Dimensions |
|----------------------------------|-----------------|----------------------------------|
| 1.50" x .625" (38.1mm x 15.88mm) | 14 labels | 2.00" x 9.00" (50.8mm x 228.6mm) |

REJECTED RECHAZADO BY _____ DATE _____
 POR _____ FECHA _____
 REASON RAZON _____

WOS-1
Red on white label

ACCEPTED ACEPTADO BY _____ DATE _____
 POR _____ FECHA _____

WOS-2
Green on white label

CALIBRATION CALIBRACION BY _____ DATE _____
 POR _____ FECHA _____
 DUE DEBIDO _____

WOS-10
Green on white label

TESTED PROBADO DATE FECHA _____ INITIALS INICIALES _____

WOS-38
Green on white label

CALIBRATED CALIBRADO BY _____ DATE _____
 POR _____ FECHA _____
 DUE DEBIDO _____

WOS-41
Black on white label

GENERAL ID AND SPECIALTY PRODUCTS WRITE-ON LABELS

Write-On Labels

CONTINUED

INVENTORY

| Label Dimensions | Labels Per Card | Card Dimensions |
|-------------------------------------|-----------------|-------------------------------------|
| 1.50" x .625" (38.1mm x 15.88mm) | 14 labels | 2.00" x 9.00" (50.8mm x 228.6mm) |

| | |
|------------------|------|
| BATCH NO. | DATE |
| | |

WO-7
Blue on white label

| | |
|-----------------|-------|
| TOOL NO. | DEPT. |
| | |

WO-39
Blue on white label

| Label Dimensions | Labels Per Card | Card Dimensions |
|-------------------------------------|-----------------|--------------------------------------|
| 2.25" x 1.00" (57.15mm x 25.4mm) | 9 labels | 2.75" x 9.00" (69.85mm x 228.6mm) |

| | |
|--------------------|---------------|
| INVENTORIED | DATE |
| STOCK NO. _____ | |
| COUNT _____ | |
| BY _____ | CHECKED _____ |

WO-26
Black on white label

| Label Dimensions | Labels Per Card | Card Dimensions |
|-----------------------------------|-----------------|-------------------------------------|
| 1.50" x .50" (38.1mm x 12.7mm) | 18 labels | 2.00" x 9.00" (50.8mm x 228.6mm) |

| |
|---------------------|
| PROPERTY TAG |
| ASSET NO. |

WOAF-29
Black on aluminum

| |
|------------------|
| STOCK NO. |
| |

WO-37
Green on white label

| Label Dimensions | Labels Per Card | Card Dimensions |
|------------------------------------|-----------------|-------------------------------------|
| 1.50" x 1.00" (38.1mm x 25.4mm) | 9 labels | 2.00" x 9.00" (50.8mm x 228.6mm) |

| | |
|------------------|------|
| INVENTORY | |
| NO | DATE |
| COUNT | BY |

WO-27
Black on white label

| |
|-------------------|
| SERIAL NO. |
| |

WO-34; WOAF-34
Black on white label

| | |
|-----------------|-------|
| TOOL NO. | DEPT. |
| | |

WOAF-39
Blue on aluminum

SPECIALTY PRODUCTS

GENERAL ID AND SPECIALTY PRODUCTS WRITE-ON LABELS

Write-On Labels

CONTINUED

MAINTENANCE

| Label Dimensions | Labels Per Card | Card Dimensions |
|------------------------------------|-----------------|-------------------------------------|
| 1.50" x .625" (38.1mm x 15.8mm) | 14 labels | 2.00" x 9.00" (50.8mm x 228.6mm) |

CAUTION

WO-11
Black on yellow label

DUE FOR INSPECTION

DO NOT REMOVE

WO-20; WOAF-20
Orange on white label

CAUTION

TEMPERATURE

_____ °

WO-14; WOAF-14
Black on yellow label

EXTINGUISHER

CHECKED ON

DATE _____ BY _____

WO-31; WOX-31
Red on white label

CIRCUIT NO.

LOCATION _____

WO-13
Orange on white label

REPAIRED BY

INITIALS _____

DATE _____

WO-23; WOX-23
Orange on white label

DATE INSTALLED

BY _____

WO-17; WOAF-17
Black on white label

MAINTENANCE

BY _____ DATE _____

WO-43
Black on white label

DO NOT USE

AFTER _____

WO-18; WOX-18; WOAF-18
Red on white label

| Label Dimensions | Labels Per Card | Card Dimensions |
|-------------------------------------|-----------------|--------------------------------------|
| 2.25" x 1.50" (57.15mm x 38.1mm) | 6 labels | 2.75" x 9.00" (69.85mm x 228.6mm) |

EXTINGUISHER CHARGED

DATE _____ BY _____

RECHARGE DATE _____

TYPE _____

WO-25
Red on white label

| Label Dimensions | Labels Per Card | Card Dimensions |
|----------------------------------|-----------------|--------------------------------------|
| 2.25" x 1" (57.15mm x 25.4mm) | 9 labels | 2.75" x 9.00" (69.85mm x 228.6mm) |

SERIAL NO.

MODEL NO.

| VOLTS | AC-DC | AMPS | HERTZ |
|-------|-------|-------|-------|
| _____ | _____ | _____ | _____ |

WOAF-36
Black on aluminum

SPECIALTY PRODUCTS

GENERAL ID AND SPECIALTY PRODUCTS WRITE-ON LABELS

Write-On Labels

CONTINUED

CALIBRATION

| Label Dimensions | Labels Per Card | Card Dimensions |
|------------------------------------|-----------------|-------------------------------------|
| 1.50" x .625" (38.1mm x 15.8mm) | 14 labels | 2.00" x 9.00" (50.5mm x 228.6mm) |

CALIBRATION

BY _____ DATE _____

DUE _____

WO-10; WOX-10; WOAF-10
Green on white label

DO NOT USE

Until Tested & Calibrated

WO-51
Black on yellow label

| Label Dimensions | Labels Per Card | Card Dimensions |
|-------------------------------------|-----------------|--------------------------------------|
| 2.25" x 1.00" (57.15mm x 25.4mm) | 9 labels | 2.75" x 9.00" (69.85mm x 228.6mm) |

CALIBRATION DATE _____

BY _____

DUE _____

WO-9; WOX-9
Green on white label
WOAF-9
Green on aluminum

CALIBRATED

BY _____ DATE _____

DUE _____

WO-41
Black on white label

CALIBRATION DATE _____

BY _____ DUE _____

INST. I.D. _____

WO-64
Black on white label

| Label Dimensions | Labels Per Card | Card Dimensions |
|-----------------------------------|-----------------|-------------------------------------|
| 1.50" x .50" (38.1mm x 12.7mm) | 18 labels | 2.00" x 9.00" (50.8mm x 228.6mm) |

**CALIBRATION
NOT REQUIRED**

WO-53; WOAF-53
Red on white label

| Label Dimensions | Labels Per Card | Card Dimensions |
|-------------------------------------|-----------------|-------------------------------------|
| 1.50" x 1.50" (38.1mm x 12.70mm) | 6 labels | 2.00" x 9.00" (50.8mm x 228.6mm) |

CALIBRATED

EXPIRES _____

IDENT. NO. _____

ACCURACY _____

DATE CAL. _____

BY _____

DEPT. NO. _____

WO-63
Black on white label

Pre-Printed Five Packs
Five identical cards per package.

Aluminum Foil (B-184)
Vinyl Cloth (B-500)

| B-500 Vinyl Cloth | B-184 Aluminum Foil | Labels Per Card | Pre-Printed Legend | Print Color | Label Size Inch (mm) | Card Size Inch (mm) |
|-------------------|---------------------|-----------------|---|-------------|-----------------------------|------------------------------|
| WO-10-VP | | 14 | CALIBRATION | Green | 1.50 x .625 (38.10 x 15.88) | 2.00 x 9.00 (50.80 x 228.60) |
| WO-52-VP | | 14 | INSPECTED BY | Black | 1.50 x .625 (38.10 x 15.88) | 2.00 x 9.00 (50.80 x 228.60) |
| | WOAF-29-VP | 18 | PROPERTY TAG | Black | 1.50 x .50 (38.10 x 12.70) | 2.00 x 9.00 (50.80 x 228.60) |
| | WOAF-34-VP | 18 | SERIAL NO. | Black | 1.50 x .50 (38.10 x 12.70) | 2.00 x 9.00 (50.80 x 228.60) |
| | WOAF-36-VP | 6 | SERIAL NO., MODEL NO. VOLTS AC-DC AMPS HERTZ | Black | 2.25 x 1.50 (57.15 x 38.10) | 2.75 x 9.00 (69.85 x 228.60) |

CALIBRATION

BY _____ DATE _____

DUE _____

WO-10-VP

INSPECTED BY:

DATE _____

WO-52-VP

PROPERTY TAG

ASSET NO. _____

WOAF-29-VP

SERIAL NO.

WOAF-34-VP

SERIAL NO.

MODEL NO.

| VOLTS | AC-DC | AMPS | HERTZ |
|-------|-------|------|-------|
| | | | |

WOAF-36-VP

SPECIALTY PRODUCTS

GENERAL ID AND SPECIALTY PRODUCTS WRITE-ON LABELS

Write-On Labels

CONTINUED

CALIBRATION

Blank Write-On Labels

Aluminum Foil (B-184)**Vinyl Cloth (B-500)****Polyester (B-619)**

| B-500 Vinyl Cloth | B-619 Polyester | B-184 Aluminum Foil | Labels Per Card | Label Size Inch (mm) | Card Size Inch (mm) |
|----------------------|--------------------|------------------------|--------------------|-----------------------------|------------------------------|
| WO-16 | | WOAF-16 | 6 | 1.50 x 1.50 (38.10 x 38.10) | 2.00 x 9.00 (50.80 x 228.60) |
| WO-19 | | WOAF-19 | 9 | 1.50 x 1.00 (38.10 x 25.40) | 2.00 x 9.00 (50.80 x 228.60) |
| WO-24 | WOX-24 | WOAF-24 | 14 | 1.50 x .625 (38.10 x 15.88) | 2.00 x 9.00 (50.80 x 228.60) |
| WO-30 | | WOAF-30 | 20 | 1.50 x .437 (38.10 x 11.10) | 2.00 x 9.00 (50.80 x 228.60) |
| WO-35 | | WOAF-35 | 25 | 1.50 x .343 (38.10 x 8.71) | 2.00 x 9.00 (50.80 x 228.60) |
| WO-46 | WOX-46 | WOAF-46 | 36 | 1.50 x .25 (38.10 x 6.35) | 2.00 x 9.00 (50.80 x 228.60) |
| WO-47 | WOX-47 | | 72 | .75 x .25 (19.05 x 6.35) | 2.00 x 9.00 (50.80 x 228.60) |
| WO-48 | | | 54 | .50 x .50 (12.70 x 12.70) | 2.00 x 9.00 (50.80 x 228.60) |
| WO-49 | WOX-49 | | 18 | 1.50 x .50 (38.10 x 12.70) | 2.00 x 9.00 (50.80 x 228.60) |
| WO-50 | | | 36 | .50 x .75 (12.70 x 19.05) | 2.00 x 9.00 (50.80 x 228.60) |
| WO-54 | | WOAF-54 | 4 | 2.25 x 2.25 (57.15 x 57.15) | 2.75 x 9.00 (69.85 x 228.60) |
| WO-55 | | | 5 | 2.25 x 1.75 (57.15 x 44.45) | 2.75 x 9.00 (69.85 x 228.60) |
| WO-56 | | WOAF-56 | 6 | 2.25 x 1.50 (57.15 x 38.10) | 2.75 x 9.00 (69.85 x 228.60) |
| WO-59 | | WOAF-59 | 9 | 2.25 x 1.00 (57.15 x 25.40) | 2.75 x 9.00 (69.85 x 228.60) |
| WO-62 | | WOAF-62 | 12 | 2.25 x .75 (57.15 x 19.05) | 2.75 x 9.00 (69.85 x 228.60) |
| WO-68 | | WOAF-68 | 18 | 2.25 x .50 (57.15 x 12.70) | 2.75 x 9.00 (69.85 x 228.60) |

Blank Five Packs

Five cards per package.

| B-500 Vinyl Cloth | B-184 Aluminum Foil | Labels Per Card | Label Size Inch (mm) | Card Size Inch (mm) |
|----------------------|------------------------|--------------------|-----------------------------|------------------------------|
| WO-16-VP | | 6 | 1.50 x 1.50 (38.10 x 38.10) | 2.00 x 9.00 (50.80 x 228.60) |
| WO-19-VP | | 9 | 1.50 x 1.00 (38.10 x 25.40) | 2.00 x 9.00 (50.80 x 228.60) |
| WO-30-VP | | 20 | 1.50 x .437 (38.10 x 11.10) | 2.00 x 9.00 (50.80 x 228.60) |
| WO-46-VP | | 36 | 1.50 x .25 (38.10 x 6.35) | 2.00 x 9.00 (50.80 x 228.60) |
| WO-48-VP | | 54 | .50 x .50 (12.70 x 12.70) | 2.00 x 9.00 (50.80 x 228.60) |
| WO-62-VP | WOAF-62-VP | 12 | 2.25 x .75 (57.15 x 19.05) | 2.00 x 9.00 (50.80 x 228.60) |

Labeling Pens

| Part Number | Quantity | Ink Color | Point Size |
|-------------|----------------------------|-----------|------------------|
| MP-1 | 12 per pkg. or single pens | Black | Fine Point |
| MP-2 | 12 per pkg. or single pens | Black | Ultra Fine Point |



Brady's labeling pens use a quick drying, permanent ink. The ink is specially formulated to resist oil, solvents, abrasion and fading.